BERNAT

Handicrafter

BOOK NO. 58 – 50¢

FAST AND FUN TO KNIT

BULKIES

in Cuddlespun • Cuddle-Tweed • Opalspun

HINTS FOR BETTER KNITTING

STITCH GAUGE: The term "STITCH GAUGE" is the most important part of all knitting directions, since the sizing of any knitted garment is planned on this gauge. You MUST work to the gauge which is given or your finished work will not be the size indicated in the directions.

TO CHECK STITCH GAUGE: Cast on approximately 20 sts, using the yarn and needles which will be used for the body of your work. Work in the pattern st specified for 3 inches. Bind off all sts. Block this knitted swatch and then, using a ruler as a guide, count the number of sts to 1 inch. If your stitch gauge is MORE sts to 1 inch than that given in the directions, try the next size larger needle and again check your gauge. If your st gauge is LESS sts to 1 inch than that given in the directions, try the next size smaller needle and again check your gauge. The IMPORTANT THING to remember is that the size needle used does not matter as long as your stitch gauge is correct.

GARTER STITCH: Knit every row. It will take 2 rows to make 1 ridge.

STOCKINETTE STITCH: K 1 row, P 1 row alternately when working on straight needles. When working round and round on a circular needle or double point needles, knit every round.

SEED STITCH: On the first row * K 1, P 1, repeat from * to end of row. On all subsequent rows, K over the P st and P over the K st.

RIBBING: On the first row work in the ribbing pattern. On all other rows, K over the K sts and P over the P sts.

TO SLIP A STITCH: Whenever the directions specify a sl st, always insert the right hand needle in the st to be slipped as if to P, unless otherwise indicated.

MARKERS: When work specifies the use of a marker, use a small round paper clip for this purpose. In working, always slip this marker from one needle to the other.

JOINING YARN: If possible always join a new ball of yarn at the beginning of a row. When it is necessary to join the yarn while working across a row, leave an end about 4 inches long; then work from the new ball of yarn on the next st, also leaving a 4 inch end. After working for 1 inch more, tie these two ends in a square knot, so that the tension will be the same as all other sts. When finishing work, run in these ends on wrong side for 1 inch.

NOTE: Sew all seams with BERNAT Bob-o-Meadowspun in matching color. Garments do not require blocking. Steam seams very lightly.

SELECTION OF COLOR: Every woman has her own personal preferences in colors, based on the colors which are most flattering to her and will harmonize with the rest of her wardrobe. For this reason we have not specified any particular color for any model, other than those models where a combination of colors has been used. Even in these models, let your own individuality express itself by choosing other color combinations if you wish.

ABBREVIATIONS

K	knit	sl st	slip stitch
P	purl	psso	pass slip stitch over knit stitch
st(s)	stitch(es)	d p	double point
inc	increase	ch	chain
dec	decrease	s c	single crochet
tog	together	h d c	half double crochet
y o	yarn over	d c	double crochet
sl	slip		

* — this symbol indicates that the directions immediately following are to be repeated a given number of times.

"Work even" means to work without increasing or decreasing, always keeping pattern as established.

The three big beautiful BERNAT 50/50 yarns specified in this book are all interchangeable: 50/50 CUDDLESPUN, and the two newest 50/50 yarns in the popular Cuddlespun weight—

50/50 CUDDLE-TWEED—a distinctive duo-tone yarn you will love for its handsome tweedy effects; its fashion-fresh color combinations; its no-worry washability. With this fast-and-fun-to-knit yarn you can add a host of novel bulky fashions to your wardrobe of unusual hand knits.

50/50 OPALSPUN—combines Cuddlespun-weight yarn with flecked strands twisted in, that imparts to even the very simplest of hand knits an exciting new mottled effect. With its French flair, its exquisite colors, and carefree qualities, here is another Bernat 50/50 yarn to enhance your enjoyment of knitting.

Style No. 619 — Page 3

BERNAT Handicrafter

Book No. 58

Editor: CARLEEN GOLDSMITH

Associate Editors: MARJORIE WENDELL
CARLO SIMONINI
HELEN HEITZNER

CREDITS:

Photography by Dirone Studios
La Mode Buttons
Monet Jewelry
Bags by Smart Set

Every effort has been made to have the knitting directions contained in this book accurate and complete; however we cannot be responsible for variance of individual knitters, human errors, or typographical mistakes.

Price: 50 cents in continental U. S. A., 75 cents in Canada, $1.00 in other countries.

COPYRIGHT 1957, EMILE BERNAT & SONS COMPANY, JAMAICA PLAIN 30, MASSACHUSETTS, U.S.A.

Style No. 593 — Page 5

Style No. 615 — Page 7

Style No. 611 — Page 9

Style No. 599 — Page 11

Style No. 607 — Page 13

Style No. 606 — Page 15

Style No. 608 — Page 17

Style No. 605 — Page 19

Style No. 601 — Page 21

Style Nos. 545 and 558
Page 23

Style Nos. 581 and 557
Page 25

Style No. 600 — Page 27

Style No. 3906 — Page 27

Style No. 612 — Page 29

Style No. 3905 — Page 29

Style No. 3903 — Page 31

Style No. 602 — Page 31

Style Nos. 3866 and 3858
Page 33

Style Nos. 613 and 609
Page 34

Style Nos. 610 and 5906
Page 35

Style Nos. 616 and 5907
Page 37

Style Nos. 590 and 5890
Page 39

Style Nos. 5905 and 586
Page 41

Style No. 619

These directions are for small size (10–12). Changes for medium size (14–16) and large size (18–20) are in parentheses.

MATERIALS

BERNAT Cuddle-Tweed (2 oz. skeins) — 14(15–16) Main Color (M C)
BERNAT Cuddlespun (2 oz. skeins) — 1 Contrasting Color (C C)
1 pair each straight knitting needles Nos. 8 and 10½ OR ANY SIZE NEEDLES WHICH WILL GIVE THE STITCH GAUGE GIVEN BELOW
1 aluminum crochet hook Size G
7 buttons
1½ yds 1½ inch grosgrain ribbon
Seam binding

GAUGE: 9 sts — 2 inches 8 rows — 1 inch

PATTERN STITCH: Multiple of 4 sts plus 3.
Row 1: K 3, * sl 1, K 3, repeat from * across row.
Row 2: K 3, * bring yarn to front of work and sl 1, throw yarn to back of work, K 3, repeat from * across row.
Row 3: K 1, * sl 1, K 3, repeat from *, ending sl 1, K 1.
Row 4: K 1, * bring yarn to front of work and sl 1, throw yarn to back of work K 3, repeat from *, ending bring yarn to front of work and sl 1, throw yarn to back of work, K 1.
Repeat these 4 rows for pattern stitch.

BACK: Using No. 10½ needles and M C, cast on 135 (143–151) sts. K 1 row. Work in pattern st, dec 1 st each end of needle every 10th row 6(2–2) times, every 8th row 11(17–18) times, every 4th row twice, every other row 7(7–8) times, and EVERY ROW 25(26–27) times. Bind off remaining 33(35–37) sts.

LEFT FRONT: Using No. 10½ needles and M C, cast on 75(79–83) sts. K 1 row. Work in pattern st, dec 1 st at arm edge every 8th row 2(3–4) times and every 6th row 2(2–1) times. Work even on 71(74–78) sts for 4(0–2) rows, ending with Row 4. ARM SLIT: Work 34(37–41) sts, K 2 tog — 35(38–42) sts; join another ball of yarn, keeping continuity of pattern st, work last 35 sts. Working on both sides at once, continue to dec 1 st at arm edge every 6th row 10 times more. Work even on each side for 4(0–2) rows, ending with wrong side row. TO JOIN: Work 24(27–31) sts, inc 1 st in next st; break off second ball of yarn, and continue in pattern on last 35 sts — 61(64–68) sts. Continue to dec 1 st at arm edge every 6th row 10(10–11) times more. Dec 1 st at same edge every other row 9(9–11) times and EVERY ROW 17(18–17) times — 25(27–29) sts. SHAPE NECK: Continuing to dec 1 st at arm edge EVERY ROW 12 times more, at front edge bind off 9(11–13) sts once and dec 1 st at same edge every other row 4 times.

RIGHT FRONT: Work to correspond to left front, reversing all shaping and position of slit and forming first buttonhole when piece measures 4¼ inches. BUTTONHOLE: Starting at front edge, work 3 sts, bind off next 4 sts, work to end of row. On next row cast on 4 sts over those bound off previous row. Make 6 more buttonholes, evenly spaced — the last one to be made ½ inch below start of neck shaping.

COLLAR: Using No. 8 needles and C C, cast on 74(78–82) sts. K 2, P 2 in ribbing for 3½ inches. Bind off.

FINISHING: Sew side seams. Sew collar to neck edge to within 1 inch of each front edge. With right side facing you, work 1 row of s c around slits. Face front edges with ribbon. Finish buttonholes. Steam seams lightly. Sew on buttons. Bind side seams to prevent sagging.

Style No. 593

These directions are for small size (10-12). Changes for medium size (14-16) and large size (18-20) are in parentheses.

MATERIALS

BERNAT Cuddlespun (2 oz. skeins) — 11(12–14)
1 pair each straight knitting needles Nos. 8 and 10½ OR ANY SIZE NEEDLES WHICH WILL GIVE THE STITCH GAUGE GIVEN BELOW
1 d p needle or cable holder
1 aluminum crochet hook Size I

GAUGE: 4 sts = 1 inch 6 rows = 1 inch

PATTERN STITCH: Multiple of 6 sts plus 2.
Row 1: K 1, * K next st wrapping yarn around needle twice, K 4, K next st wrapping yarn around needle twice *, repeat between *'s, ending K 1.
Row 2: P 1, * sl next st dropping extra wraps off needle to form a long st, P 4, sl next st dropping extra wraps off needle to form a long st *, repeat between *'s, ending P 1.
Row 3: K 1, * sl long st onto d p needle and hold in front of work, K next 2 sts, K long st from d p needle, sl next 2 sts onto d p needle and hold in back of work, K long st, K 2 sts from d p needle *, repeat between *'s, ending K 1.
Row 4: Purl.
Row 5: K 3, K next st, wrapping yarn around needle twice, repeat between *'s of Row 1, ending K next st wrapping yarn around needle twice, K 3.
Row 6: P 3, sl long st, repeat between *'s of Row 2, ending sl long st, P 3.
Row 7: K 1, * sl next 2 sts onto d p needle and hold in back of work, K long st, K 2 sts from holder, sl long st onto d p needle and hold in front of work, K next 2 sts, K long st from d p needle, repeat from *, ending K 1.
Row 8: Purl.
Repeat these 8 rows for pattern stitch.

BACK: Using No. 10½ needles, cast on 68(68–80) sts. P 1 row. Work even in pattern st for 13(13–13½) inches, ending with either Row 4 or Row 8. SHAPE ARMHOLES: At the beg of each of the next 2 rows bind off 6(3–6) sts. Dec 1 st each end of needle every other row 3 times. Work even on 50(56–62) sts until armholes measure 7½(8–8½) inches. SHAPE SHOULDERS: At the beg of each of the next 4 rows bind off 5(6–7) sts. At the beg of each of the next 2 rows bind off 6(6–7) sts. Bind off remaining 18(20–20) sts.

LEFT FRONT: Using No. 10½ needles, cast on 38 (44–44) sts. P 1 row. Work even in pattern st for 13(13–13½) inches, ending with same row as on back at underarm. SHAPE ARMHOLE: At the beg of next row bind off 6(8–6) sts. Dec 1 st at same edge every other row 3(4–3) times. Work even on 29(32–35) sts until armhole measures 6½(7–7½) inches. SHAPE NECK: At front edge bind off 6 sts twice and 1(2–2) sts once. SHAPE SHOULDER: At arm edge bind off 5(6–7) sts twice and 6(6–7) sts once.

RIGHT FRONT: Work to correspond to left front, reversing all shaping.

SLEEVES: Using No. 10½ needles, cast on 50(56–62) sts. P 1 row. Work even in pattern st until piece measures 9 (9½–9½) inches, ending with same row as on back at underarm. SHAPE CAP: At the beg of each of the next 2 rows bind off 6(5–6) sts. Dec 1 st each end of needle every 4th row 4(1–1) times and every other row 6(13–15) times. At the beg of each of the next 6 rows bind off 2 sts. Bind off remaining stitches.

CUFFS: Using No. 8 needles, cast on 41(43–45) sts. Work 1 row in seed st. Continuing in seed st, inc 1 st at beg of next row and repeat this inc every other row twice more. Work 1 row even. At beg of next row dec 1 st and repeat this dec every other row twice more. Bind off remaining 41 (43–45) sts.

COLLAR: Using No. 8 needles, cast on 103(105–107) sts. Work in seed st, inc 1 st each end of needle every other row 5 times, then dec 1 st each end of needle every other row 5 times. Bind off remaining 103(105–107) sts.

FINISHING: Sew underarm, shoulder and sleeve seams. Set in sleeves. Sew cuffs to sleeves with point overlapping and holding in to desired size. With right side facing you, work 1 row s c around all edges of collar and 2 rows s c around all edges of jacket, inc at corners. Sew collar to neck edges with ends turned back at front as shown in photograph. Steam seams lightly.

Style No. 615

These directions are for size 12. Changes for sizes 14, 16 and 18 are in parentheses.

MATERIALS

BERNAT Opalspun (2 oz. skeins) — 9(9–10–10) Main Color (M C)

BERNAT Cuddlespun (2 oz. skeins) — 1 Contrasting Color (C C). 1 pair each straight knitting needles Nos. 5 and 9 OR ANY SIZE NEEDLES WHICH WILL GIVE THE STITCH GAUGE GIVEN BELOW

1 aluminum crochet hook Size H

5 buttons

¾ yd 1½ inch grosgrain ribbon

GAUGE: 4 sts = 1 inch 6 rows = 1 inch

BACK: Using No. 5 needles and M C, cast on 60(64–68–72) sts. K 1, P 1 in ribbing for 3 inches. Change to No. 9 needles and work in stockinette st, inc 1 st each end of needle every 1 inch 5 times. Work even on 70(74–78–82) sts until piece measures 11(11–11½–11½) inches. SHAPE ARMHOLES: At the beg of each of the next 2 rows bind off 5(6–6–6) sts. Dec 1 st each end of needle every other row 3(3–3–4) times. Work even on 54(56–60–62) sts until armholes measure 7½ (7¾–8–8¼) inches. SHAPE SHOULDERS: At the beg of each of the next 4 rows bind off 6(6–7–7) sts. At the beg of each of the next 2 rows bind off 6(7–6–7) sts. Bind off remaining 18(18–20–20) sts.

LEFT FRONT: Using No. 5 needles and M C, cast on 2 sts, join C C and cast on 5 sts, join another ball of M C and cast on 29(31–33–35) sts — 36(38–40–42) sts. Row 1: Using M C, K 1, P 1 in ribbing for 27(29–31–33) sts, P 2, using C C, K 5, using M C, P 2. Row 2: K 2 M C, P 5 C C, K 2 M C (front band), P 1, K 1 in M C ribbing to end of row. Repeat these 2 rows until piece measures 3 inches, ending with Row 2. Change to No. 9 needles and, keeping the 9 sts of front band in pattern as established, work remaining sts in stockinette st, inc 1 st at arm edge every 1 inch 5 times. Work even on 41(43–45–47) sts until piece measures 11 (11–11½–11½) inches. SHAPE ARMHOLE: At arm edge bind off 5(6–6–6) sts. Dec 1 st at same edge every other row 3(3–3–4) times, ending at arm edge — 33(34–36–37) sts. SHAPE NECK: On next row K to last 11 sts, K 2 tog, work front band. Repeat this dec every other row 14(14–15–15) times more. Work even on 18(19–20–21) sts until armhole measures 7½(7¾–8–8¼) inches. SHAPE SHOULDER: At arm edge bind off 6(6–7–7) sts twice and 6(7–6–7) sts once.

RIGHT FRONT: Work to correspond to left front, reversing placing of front band and all shaping and forming first buttonhole when piece measures ½ inch. BUTTONHOLE: Starting at front edge, work 3 sts, K 2 tog, y o, work to end of row. Make 4 more buttonholes, evenly spaced — the last one to be made at start of neck shaping. Decrease for neck as follows: Work front band, sl 1, K 1, psso.

SLEEVES: Using No. 5 needles and M C, cast on 36(36–38–40) sts. K 1, P 1 in ribbing for 1½ inches. Change to No. 9 needles, join C C and work even in stockinette st for 1½ inches. Break off C C. Using M C, continue in stockinette st, inc 1 st each end of needle every 1 inch 8(9–9–9) times. Work even on 52(54–56–58) sts until piece measures 13½(13½–14–14) inches. SHAPE CAP: At the beg of each of the next 2 rows bind off 5(6–6–6) sts. Dec 1 st each end of needle every other row for 4½(4¾–5–5¼) inches. At the beg of each of the next 4 rows bind off 2 sts. Bind off remaining sts.

COLLAR: Using No. 9 needles and M C, cast on 75(75–77–77) sts. K 1, P 1 in ribbing for 3¼ inches. Bind off.

FINISHING: Sew underarm, shoulder and sleeve seams. Set in sleeves. Sew collar to front to 3 inches below shoulder seam. Using M C, with right side facing you, work 1 row s c on front edges and around collar. Face fronts with ribbon. Finish buttonholes. Sew on buttons. Steam seams lightly.

Style No. 611

These directions are for size 12. Changes for sizes 14, 16 and 18 are in parentheses.

MATERIALS

BERNAT Cuddlespun (2 oz. skeins) — 8(9–10–11) Main Color (M C); 1(1–2–2) Contrasting Color (C C)
1 pair each straight knitting needles Nos. 5 and 9 OR ANY SIZE NEEDLES WHICH WILL GIVE THE STITCH GAUGE GIVEN BELOW
1 circular needle No. 5
1 aluminum crochet hook Size G

GAUGE: 4 sts = 1 inch 6 rows = 1 inch

PATTERN STITCH: Multiple of 4 sts plus 3.
Row 1: K 3, * P 1, K 3, repeat from * across row.
Row 2: P 3, * K 1, P 3, repeat from * across row.
Repeat these 2 rows for pattern stitch.

BACK: Using No. 5 needles and M C, cast on 62(62–66–70) sts. K 1, P 1 in ribbing for 1¼ inches, inc 1 st at end of last row. Change to No. 9 needles and work in pattern st, inc 1 st each end of needle every 8th row 5(7–7–7) times, forming new patterns as sts are increased. Work even on 73(77–81–85) sts until piece measures 11(11–11½–11½) inches. SHAPE RAGLAN ARMHOLES: At the beg of each of the next 2 rows bind off 2 sts. Dec 1 st each end of needle every other row 26(27–28–29) times. Sl remaining 17(19–21–23) sts onto a holder.

LEFT FRONT: Using No. 5 needles and M C, cast on 22(22–26–30) sts. K 1, P 1 in ribbing for 1¼ inches, inc 1 st at end of last row. Change to No. 9 needles and work in pattern st, inc 1 st at arm edge every 8th(6th–8th–12th) row 6 (8–6–4) times. Work even on 29(31–33–35) sts until piece measures 11(11–11½–11½) inches. SHAPE RAGLAN ARMHOLE: At arm edge bind off 2 sts. Dec 1 st at same edge every other row 26 times and EVERY ROW 1(3–5–7) times. Fasten off.

RIGHT FRONT: Work to correspond to left front, reversing all shaping.

SLEEVES: Using No. 5 needles and M C, cast on 34(34–38–38) sts. K 1, P 1 in ribbing for 2 inches, inc at even intervals to 39(39–43–43) sts on last row. Change to No. 9 needles and work in pattern st, inc 1 st each end of needle every 6th row 9(10–9–10) times. Work even on 57(59–61–63) sts until piece measures 13(13–13½–13½) inches. SHAPE RAGLAN CAP: At the beg of each of the next 2 rows bind off 2 sts. Dec 1 st each end of needle every other row 26 (27–28–29) times. Fasten off.

FINISHING: VERTICAL STRIPES: Using C C, with right side facing you, work a sl st over each P st. Sew sleeves to back and front armholes, matching C C stripes. Sew underarm seams. FRONT BAND: Using circular needle and M C, with right side facing you and starting at right front lower edge, pick up 171(175–183–187) sts around front and neck edges, including sts from holder. Work back and forth in K 1, P 1 ribbing for 2½ inches. Bind off. Steam seams lightly.

Style No. 599

These directions are for size 12. Changes for sizes 14, 16 and 18 are in parentheses.

MATERIALS

BERNAT Cuddlespun (2 oz. skeins) — 8(9–9–10) Main Color (M C); 2 each Colors A and B
1 pair each straight knitting needles Nos. 6 and 10½ OR ANY SIZE NEEDLES WHICH WILL GIVE THE STITCH GAUGE GIVEN BELOW
1 aluminum crochet hook Size I
1 button

GAUGE: 7 sts = 2 inches 6 rows = 1 inch

PATTERN STITCH: Multiple of 4 sts plus 1.
Row 1: Using Color A, K 2, * K next st in row below, K 3, repeat from *, ending K 2 instead of K 3.
Rows 2 and 4: Using Color A, K 2, * P 1, K 3, repeat from *, ending P 1, K 2.
Row 3: Using Color A, P 1, * K 3, P 1, repeat from * across row.
Row 5: Using M C, repeat Row 1.
Row 6: Using M C, repeat Row 2.
Rows 7 through 10: Using Color B, repeat Rows 1 through 4.
Row 11: Repeat Row 5.
Rows 12, 14, 16, 18 and 20: Repeat Row 6.
Rows 13, 15, 17 and 19: Using M C, repeat Row 3.
Repeat these 20 rows for pattern stitch.

BACK: Using No. 6 needles and M C, cast on 61(65–69–73) sts. Row 1: P 1, * K 3, P 1, repeat from * across row. Row 2: K 2, * P 1, K 3, repeat from *, ending P 1, K 2. Repeat these 2 rows for 3½ inches, ending with Row 2. Change to No. 10½ needles and work in pattern st until piece measures 15½(15½–16–16) inches. SHAPE ARMHOLES: At the beg of each of the next 2 rows bind off 4(5–5–6) sts. Dec 1 st each end of needle every other row 3(3–4–4) times. Work even in pattern as established on 47(49–51–53) sts until armholes measure 7¾(8–8¼–8½) inches. SHAPE SHOULDERS: At the beg of each of the next 4 rows bind off 5 sts. At the beg of each of the next 2 rows bind off 5(6–6–7) sts. Bind off remaining 17(17–19–19) sts.

POCKET LININGS: Make 2. Using No. 6 needles and M C, cast on 13 sts. Row 1: P 1, * K 3, P 1, repeat from * across row. Row 2: K 2, * P 1, K 3, repeat from *, ending P 1, K 2. Repeat these 2 rows for 3½ inches, ending with Row 2. Change to No. 10½ needles and work in pattern st for 10 rows. Break off yarns. Sl sts onto a holder.

LEFT FRONT: Using No. 6 needles and M C, cast on 37 (37–41–41) sts. Row 1: P 1, * K 3, P 1, repeat from * across row. Row 2: K 2, * P 1, K 3, repeat from *, ending P 1, K 2. Repeat these 2 rows for 3½ inches, ending with Row 2. Change to No. 10½ needles and work in pattern st for 9 rows. POCKET OPENING: Work Row 10 of pattern st on first 12 sts, bind off the next 13 sts, work to end of row. INSERT POCKET: Work Row 11 of pattern st to pocket opening, work the 13 sts of pocket lining to same needle, work to end of row — 37(37–41–41) sts. Continue in pattern st until piece measures 15½(15½–16–16) inches, ending with same row of pattern st as on back at underarm. SHAPE ARMHOLE: At arm edge bind off 4(4–5–5) sts. Dec 1 st at same edge every other row 3(2–4–3) times. Work even on 30(31–32–33) sts until armhole measures 5¾(6–6¼–6½) inches. SHAPE NECK: At front edge bind off 4 sts 3 times. Dec 1 st at same edge EVERY ROW 3(3–4–4) times. Work even on 15(16–16–17) sts until armhole measures 7¾(8–8¼–8½) inches. SHAPE SHOULDER: At arm edge bind off 5 sts twice and 5(6–6–7) sts once.

RIGHT FRONT: Work to correspond to left front, reversing placing of pocket and all shaping.

SLEEVES: Using No. 6 needles and M C, cast on 37(37–41–41) sts. Row 1: P 1, * K 3, P 1, repeat from * across row. Row 2: K 2, * P 1, K 3, repeat from *, ending P 1, K 2. Repeat these 2 rows for 3¼(3¼–3¾–3¾) inches, ending with Row 2. Change to No. 10½ needles and work in pattern st, inc 1 st each end of needle every 1 inch 5(6–5–6) times, forming new patterns as sts are increased. Work even on 47(49–51–53) sts until piece measures 12(12–12½–12½) inches, ending with same row of pattern st as on back at underarm. SHAPE CAP: At the beg of each of the next 2 rows bind off 4(4–5–5) sts. Dec 1 st each end of needle every other row 4(5–6–7) times and every 4th row 5 times. At the beg of each of the next 6 rows bind off 2 sts. Bind off remaining sts.

COLLAR: Using No. 6 needles and M C, cast on 69(69–73–73) sts. Row 1: P 1, * K 3, P 1, repeat from * across row. Row 2: K 2, * P 1, K 3, repeat from *, ending P 1, K 2. Repeat these 2 rows for 1½ inches, ending with Row 2. Change to No. 10½ needles and work in pattern st until piece measures 3½ inches. Bind off.

FINISHING: Sew underarm, shoulder and sleeve seams. Set in sleeves. Sew pocket linings in place. Using M C, with right side facing you, work 1 row sl st on left front edge, ch 2, turn. Working in FRONT LOOP ONLY, work 1 h d c in each sl st. Fasten off. Make same edging on right front and on short ends of collar. Sew on collar to within ½ inch of each front edge. Make a buttonloop at neck edge. Sew on button. Steam seams lightly.

Style No. 607

These directions are for size 12. Changes for sizes 14, 16 and 18 are in parentheses.

MATERIALS

BERNAT Cuddlespun (2 oz. skeins) — 10(11–12–12)
1 pair straight knitting needles No. 11 OR ANY SIZE NEEDLES WHICH WILL GIVE THE STITCH GAUGE GIVEN BELOW
1 aluminum crochet hook Size I
6 buttons

GAUGE: 3 sts = 1 inch 6 rows = 1 inch

PATTERN STITCH: Multiple of 2 sts plus 1.
Row 1: P 1, * sl 1, P 1, repeat from * across row.
Rows 2 and 4: Purl.
Row 3: Holding yarn in front of work, sl 1, * P 1, sl 1, repeat from * across row.
Repeat these 4 rows for pattern stitch.

BACK: Cast on 43(45–47–49) sts. P 1 row. P the next row, inc at even intervals to 55(57–59–61) sts. Work even in pattern st until piece measures 9(9–9½–9½) inches. SHAPE ARMHOLES: At the beg of each of the next 2 rows bind off 4 sts. Dec 1 st each end of needle every other row 3 times. Work even on 41(43–45–47) sts until armholes measure 8(8¼–8½–8¾) inches. SHAPE SHOULDERS: At the beg of each of the next 4 rows bind off 4(5–5–5) sts. At the beg of each of the next 2 rows bind off 5(4–5–5) sts. Bind off remaining 15(15–15–17) sts.

LEFT FRONT: Cast on 28(30–32–34) sts. On the next row P 7 sts and sl these sts onto a holder to be worked later for front band, P remaining 21(23–25–27) sts. P the next row, inc at even intervals to 27(29–31–33) sts. Work even in pattern st until piece measures 9(9–9½–9½) inches, ending with same row of pattern st as on back at underarm. SHAPE ARMHOLE: At arm edge bind off 4 sts. Dec 1 st at same edge every other row 3 times. Work even on 20(22–24–26) sts until armhole measures 5½(5¾–6–6¼) inches. SHAPE NECK: At front edge bind off 2(3–4–6) sts. Dec 1 st at same edge every other row 5 times. Work even on 13(14–15–15) sts until armhole measures 8(8¼–8½–8¾) inches. SHAPE SHOULDER: At arm edge bind off 4(5–5–5) sts twice and 5(4–5–5) sts once. FRONT BAND: Sl 7 sts from holder onto needles and K 1, P 1 in ribbing until piece is same length as front to start of neck shaping. Bind off.

RIGHT FRONT AND RIGHT FRONT BAND: Work to correspond to left front and left front band, reversing all shaping and forming first buttonhole when piece measures ¾ inch. BUTTONHOLE: Starting at front edge, work 2 sts, bind off the next 3 sts, work to end of row. On next row cast on 3 sts over those bound off previous row. Make 4 more buttonholes, evenly spaced — the last one to be made ¾ inch below start of neck shaping.

SLEEVES: Cast on 21(23–25–27) sts. P 1 row. P the next row, inc at even intervals to 37(39–41–43) sts. Work even in pattern st until piece measures 15(15–15½–15½) inches, ending with same row of pattern st as on back at underarm. SHAPE CAP: At the beg of each of the next 2 rows bind off 4 sts. Dec 1 st each end of needle every 4th row 7(8–8–8) times and every other row 0(0–1–2) times. At the beg of each of the next 4 rows bind off 2 sts. Bind off remaining sts.

CUFFS: Cast on 9 sts. K 1, P 1 in ribbing for 7(7¼–7½–7¾) inches. Bind off.

BELT: Cast on 13 sts. K 1, P 1 in ribbing for 25(26–28–30) inches. BUTTONHOLE: Work 5 sts, bind off the next 3 sts, work to end of row. On next row cast on 3 sts over those bound off previous row. Work even for 3 rows more. Then dec 1 st each end of needle EVERY ROW 6 times. Fasten off.

COLLAR: Cast on 7 sts. K 1, P 1 in ribbing and mark beg of next row for inner edge. Work even for 2 inches. On next row inc 1 st at inner edge and repeat this inc every other row until piece measures 5 inches. Put a marker in work and work even in ribbing until piece measures 4(4–4½–4½) inches above marker. On next row dec 1 st at inner edge and repeat this dec every other row until 7 sts remain. Work even for 2 inches. Bind off.

FINISHING: Sew underarm, shoulder and sleeve seams. Set in sleeves. Sew on cuffs, holding in to required wrist measurement. Sew on belt, holding in fullness and having buttonhole of belt in line with buttonholes of front band. Sew shaped edge of collar to neck edge. With right side facing you, work 1 row s c around collar, on front edges and around outer edges of belt. Steam seams lightly.

Style No. 606

These directions are for size 12. Changes for sizes 14, 16 and 18 are in parentheses.

MATERIALS

BERNAT Cuddlespun (2 oz. skeins) — 15(16–17–18)
1 pair straight knitting needles No. 10 OR ANY SIZE NEEDLES WHICH WILL GIVE THE STITCH GAUGE GIVEN BELOW
1 d p needle or cable holder
7 buttons

GAUGE: 5 sts = 1 inch 6 rows = 1 inch

PATTERN STITCH: Multiple of 3 sts.
Row 1: * Sl next st onto d p needle and hold in front of work, K 2, K st from d p needle, repeat from * across row.
Row 2 and all even rows: Purl.
Row 3: * Sl next 2 sts onto d p needle and hold in back of work, K 1, K 2 sts from d p needle, repeat from * across row.
Row 5: Knit.
Row 6: Purl.
Repeat these 6 rows for pattern stitch.

BACK: Cast on 90(96–102–105) sts. K 1 row, P 1 row. Work even in pattern st until piece measures 17(17–17½–17½) inches. SHAPE RAGLAN ARMHOLES: At the beg of each of the next 2 rows bind off 3 sts. Dec 1 st each end of needle every other row 25(24–24–25) times and EVERY ROW 4(8–10–10) times. Bind off remaining 26(26–28–29) sts.

LEFT FRONT: Cast on 48(51–54–57) sts. K 1 row, P 1 row. Work even in pattern st until piece measures 17(17–17½–17½) inches, ending with same row of pattern st as on back at underarm. SHAPE RAGLAN ARMHOLE: At arm edge bind off 3 sts. Dec 1 st at same edge every other row 19(20–21–22) times. SHAPE NECK: Continuing to dec 1 st at arm edge every other row 5(4–3–2) times more and EVERY ROW 6(8–10–12) times, at neck edge bind off 9 st. and dec 1 st at same edge EVERY ROW 6(7–8–9) times.

RIGHT FRONT: Work to correspond to left front, reversing all shaping and forming first buttonhole when piece measures 3¼ inches. BUTTONHOLE: Starting at front edge, work 3 sts, bind off next 3 sts, work to end of row. On the next row cast on 3 sts over sts bound off previous row. Make 6 more buttonholes, evenly spaced — the last one to be made ½ inch below start of neck shaping.

SLEEVES: Cast on 38(42–44–48) sts. K 1, P 1 in ribbing for 2 inches, inc 1 st at end of last row on SIZES 12 and 16 ONLY. Work in pattern st, inc 1 st each end of needle every 1 inch 12 times, forming new patterns as sts are inc. Work even on 63(66–69–72) sts until piece measures 18(18–18½–18½) inches, ending with same row of pattern st as on back at underarm. SHAPE RAGLAN CAP: At the beg of each of the next 2 rows bind off 3 sts. Dec 1 st each end of needle every other row 26(26–27–27) times and EVERY ROW until 1(0–1–0) sts remain. Bind off remaining st on SIZES 12 AND 16 ONLY.

POCKETS: Make 2. Cast on 24 sts. K 1 row, P 1 row. Work even in pattern st until piece measures 5 inches, K 1, P 1 in ribbing for 1 inch. Bind off.

COLLAR: Cast on 6 sts. Mark 1 edge for neck edge. Working in K 1, P 1 ribbing, inc 1 st at neck edge every other row 15 times, working increased sts in ribbing. Work even on 21 sts until piece measures 10 inches. Dec 1 st at neck edge every other row 15 times. Bind off remaining 6 sts.

FINISHING: Sew underarm, shoulder and sleeve seams. Set in sleeves. Sew shaped edge of collar to neck edge, fold in half and hem. Sew on pockets 4 inches from each front edge. Finish buttonholes. Sew on buttons. Steam seams lightly.

Style No. 608

These directions are for size 12. Changes for sizes 14, 16 and 18 are in parentheses.

MATERIALS

BERNAT Cuddlespun (2 oz. skeins) — 9(10–11–11)
1 pair each straight knitting needles Nos. 8 and 10½ OR ANY SIZE NEEDLES WHICH WILL GIVE THE STITCH GAUGE GIVEN BELOW
1 aluminum crochet hook Size I
9 buttons

GAUGE: 3 sts = 1 inch 5 rows = 1 inch

CABLE PATTERN: To be worked on 2 sts as designated.
Row 1: Y o, sl 1, K 1, psso.
Row 2: P 2.
Row 3: Y o, K 1, y o, K 1 — 4 sts.
Row 4: P 4.
Row 5: Y o, sl 1, K 1, psso, K 1, y o, K 1 — 5 sts.
Row 6: P 5.
Row 7: K 1, sl 1, K 1, psso, K 2 — 4 sts.
Row 8: P 4.
Row 9: Sl 1, K 2 tog, psso, K 1 — 2 sts.
Row 10: P 2.
Repeat these 10 rows for cable pattern.

BACK: Using No. 8 needles, cast on 48(50–52–54) sts. K 1, P 1 in ribbing for 2½(2½–3–3) inches. Change to No. 10½ needles. Row 1: P 1(2–3–4), * K 1, P 3, work Row 1 of cable pattern on next 2 sts, P 3, repeat from *, ending K 1, P 1(2–3–4) .Row 2: K 1(2–3–4), * P 1, K 3, work Row 2 of cable pattern on next 2 sts, K 3, repeat from *, ending P 1, K 1(2–3–4). Continue in pattern as established, inc 1 st each end of needle every 2 inches 2(3–3–3) times, working increased sts in reverse stockinette st. Work even on 52(56- 58–60) sts until piece measures 10½(10½–11–11) inches, ending with Row 10 of cable pattern. SHAPE DOLMAN SLEEVES: At the beg of each of the next 2 rows cast on 5(3–2–1) sts; at the beg of each of the next 6 rows cast on 6(6–7–7) sts; at the beg of each of the next 2 rows cast on 7(8–6–7) sts, forming new patterns as sts are increased — 112(114–116–118) sts. Then work as follows: Row 1: P 1 (2–3–4), work Row 1 of cable pattern on next 2 sts, P 3, * K 1, P 3, work Row 1 of cable pattern on next 2 sts, P 3, repeat from *, ending P 1(2–3–4) instead of P 3. Row 2: K 1(2–3–4), work Row 2 of cable pattern on next 2 sts, K 3, * P 1, K 3, work Row 2 of cable pattern on next 2 sts, K 3, repeat from *, ending K 1(2–3–4) instead of K 3. Work even in pattern as established until sleeves measure 4¾(5–5¼–5½) inches above last group of cast on sts. SHAPE SHOULDERS: Being sure to decrease the extra sts in cable pattern, at the beg of each of the next 2 rows bind off 6(7–7–8) sts. At the beg of each of the next 16 rows bind off 5 sts. Bind off remaining 20(20–22–22) sts.

LEFT FRONT: Using No. 8 needles, cast on 33(34–35–36) sts. Row 1: K 1(0–1–0), * P 1, K 1, repeat from * across row. Row 2: * P 1, K 1, repeat from *, ending P 1(0–1–0). Repeat these 2 rows for 2½(2½–3–3) inches, ending with Row 2. Change to No. 10½ needles. Row 1: P 1(2–3–4), * K 1, P 3, work Row 1 of cable pattern on next 2 sts, P 3, repeat from * twice more, K 1, P 1 in ribbing on last 5 sts (front band). Row 2: P 1, K 1 in ribbing for 5 sts, * K 3, work Row 2 of cable pattern on next 2 sts, K 3, P 1, repeat from * twice more, K 1(2–3–4). Continue in pattern as established, inc 1 st at arm edge every 2 inches 2(3–3–3) times. Work even on 35(37–38–39) sts until piece measures 10½(10½–11–11) inches, ending with Row 10 of cable pattern. SHAPE DOLMAN SLEEVE: At arm edge cast on 5(3–2–1) sts once, 6(6–7–7) sts 3 times and 7(8–6–7) sts once — 65(66–67–68) sts. Work as follows: Row 1: P 1 (2–3–4), work Row 1 of cable pattern on next 2 sts, P 3, * K 1, P 3, work Row 1 of cable pattern on next 2 sts, P 3, repeat from * to last 5 sts, K 1, P 1 in ribbing for 5 sts (front band). Row 2: P 1, K 1 in ribbing for 5 sts, K 3, work Row 2 of cable pattern on next 2 sts, K 3, P 1, repeat from *, ending K 1(2–3–4) instead of K 3. Continue in pattern as established until sleeve measures 4¾(5–5¼–5½) inches above last group of cast on sts. SHAPE SHOULDER: Being sure to decrease the extra sts in cable patterns, at arm edge bind off 6(7–7–8) sts once and 5 sts twice, ending at front edge. SHAPE NECK: Work 5 sts of front band and sl these sts onto a holder, bind off the next 10 sts, work to end of row. Continuing to bind off 5 sts at arm edge 6 times more, at neck edge dec 1 st every other row 4(4–5–5) times.

RIGHT FRONT: Work to correspond to left front, reversing placing of front band and all shaping and forming first buttonhole when piece measures ½(½–1–1) inch. BUTTONHOLE: Starting at front edge, work 2 sts, bind off the next 2 sts, work to end of row. On next row cast on 2 sts over those bound off previous row. Make 8 more buttonholes, evenly spaced — the last one to be made in neckband.

FINISHING: Sew shoulder seams. CUFFS: Using No. 8 needles, with right side facing you pick up 38(40–42–44) sts across lower sleeve edge. K 1, P 1 in ribbing for 2 inches. Bind off in ribbing. Sew underarm and sleeve seams. NECKBAND: Using No. 8 needles, with right side facing you, pick up 71(73–75–77) sts around neck, including sts from holders. P 1, K 1 in ribbing for 1 inch, forming a buttonhole on right front in same manner as before. Bind off in ribbing. With right side facing you, work 1 row s c on front edges. Finish buttonholes. Steam seams lightly. Sew on buttons.

Style No. 605

These directions are for size 12. Changes for sizes 14, 16 and 18 are in parentheses.

MATERIALS

BERNAT Cuddlespun (2 oz. skeins) — 9(10–10–11)
1 pair straight knitting needles No. 10 OR ANY SIZE NEEDLES WHICH WILL GIVE THE STITCH GAUGE GIVEN BELOW
1 d p needle or cable holder
1 aluminum crochet hook Size H
5 buttons
2 yds 1 inch grosgrain ribbon

GAUGE: 7 sts = 2 inches 5 rows = inch

CABLE PATTERN: To be worked on 17 sts as designated.
Row 1 and all uneven rows: Knit.
Rows 2, 4 and 6: K 1, P 6, K 3, P 6, K 1.
Row 7: K 1, sl next 3 sts onto d p needle and hold in back of work, K next 3 sts, K 3 sts from d p needle (cable twist), K 3, work a cable twist on next 6 sts, K 1.
Row 8: Repeat Row 2.
Repeat these 8 rows for cable pattern.

BACK: Cast on 48(52–54–58) sts. K 1, P 1 in ribbing for 3 inches. On the next row K 3(4–5–5), put a marker on needle, K 17, put a marker on needle, K 8(10–12–14), put a marker on needle, K 17, put a marker on needle, K 3 (4–4–5). Keeping each group of 17 sts between markers in cable pattern and remaining sts in stockinette st, inc 1 st each end of needle every ¾ inch 8 times, working increased sts in stockinette st. Work even on 64(68–70–74) sts until piece measures 11½(11½–12–12) inches. SHAPE ARMHOLES: At the beg of each of the next 2 rows bind off 5(5–5–6) sts. Dec 1 st each end of needle every other row 3(4–4–4) times. Work even in pattern as established on 48(50–52–54) sts until armholes measure 7¾(8–8¼–8½) inches. SHAPE SHOULDERS: At the beg of each of the next 2 rows bind off 6(7–7–8) sts. At the beg of each of the next 2 rows bind off 7(7–8–8) sts. Bind off remaining 22 sts.

LEFT FRONT: Cast on 25(27–28–30) sts. K 1, P 1 in ribbing for 3 inches. On the next row K 3(4–4–5), put a marker on needle, K 17, put a marker on needle, K 5(6–7–8). Keeping the 17 sts between markers in cable pattern and remaining sts in stockinette st, inc 1 st at arm edge every ¾ inch 8 times, working increased sts in stockinette st. Work even on 33(35–36–38) sts until piece measures 11½ (11½–12–12) inches, ending with a wrong side row. SHAPE ARMHOLE AND NECK: At the beg of the next row bind off 5(5–5–6) sts, work to last 2 sts, K 2 tog (neck dec). Continuing to dec 1 st at neck edge every 5th row 3 times more and every other row 8 times, at arm edge dec 1 st every other row 3(4–4–4) times. Work even on 13(14–15–16) sts until armhole measures 7¾(8–8¼–8½) inches. SHAPE SHOULDER: At arm edge bind off 6(7–7–8) sts once and 7(7–8–8) sts once.

RIGHT FRONT: Work to correspond to left front, reversing all shaping and placing of cable pattern.

SLEEVES: Cast on 35(35–37–37) sts. K 1, P 1 in ribbing for 3 inches. On the next row K 9(9–10–10), put a marker on needle, K 17, put a marker on needle, K 9(9–10–10). Keeping the 17 sts between markers in cable pattern and remaining sts in stockinette st, inc 1 st each end of needle every 2(2–2–1½) inches 4(5–5–6) times. Work even in pattern as established on 43(45–47–49) sts until piece measures 14½(14½–15–15) inches. SHAPE ARMHOLES: At the beg of each of the next 2 rows bind off 5(5–5–6) sts. Dec 1 st each end of needle every 4th row twice and every other row until 13 sts remain. At the beg of each of the next 4 rows bind off 2 sts. Bind off remaining sts.

COLLAR: Cast on 65(65–67–67) sts. K 1, P 1 in ribbing for 4 inches. Bind off.

FINISHING: Sew underarm, shoulder and sleeve seams. Set in sleeves. Sew collar to neck edge to 3 inches from shoulder seam on each front. With right side facing you work 3 rows s c on fronts and around collar, working 5 buttonholes, evenly spaced-on right front on the 2nd row starting at beg of neck shaping. Steam seams lightly. Face fronts with ribbon. Sew on buttons.

Style No. 601

These directions are for size 12. Changes for sizes 14, 16 and 18 are in parentheses.

MATERIALS

BERNAT Cuddlespun (2 oz. skeins) — 9(10–11–11) Main Color (M C); 1 each Colors A and B
1 pair each straight knitting needles Nos. 4 and 9 OR ANY SIZE NEEDLES WHICH WILL GIVE THE STITCH GAUGE GIVEN BELOW
1 aluminum crochet hook Size I
7 buttons

GAUGE: 4 sts = 1 inch 6 rows = 1 inch

BACK: Using No. 4 needles and M C, cast on 57(61–63–67) sts. K 1, P 1 in ribbing for 3 inches. Change to No. 9 needles and work in stockinette st, inc 1 st each end of needle every 1 inch 6(6–7–7) times. Work even on 69(73–77–81) sts until piece measures 12½(12½–13–13) inches. SHAPE RAGLAN ARMHOLES: On the next row dec 1 st each end of needle and repeat this dec every other row 23(24–26–27) times more. Work even on remaining 21(23–23–25) sts for 8 rows. Bind off.

LEFT FRONT: Using No. 4 needles and M C, cast on 33 (35–37–39) sts. K 1, P 1 in ribbing for 3 inches. Change to No. 9 needles and work in stockinette st, inc 1 st at arm edge every 1 inch 6(6–7–7) times. Work even on 39(41–44–46) sts until piece measures 12½(12½–13–13) inches. SHAPE RAGLAN ARMHOLE: On the next row at arm edge dec 1 st and repeat this dec every other row 23(24–26–27) times more. SHAPE NECK: Keeping arm edge even, at front edge bind off 9(10–11–12) sts once and 2 sts 3 times.

RIGHT FRONT: Work to correspond to left front, reversing all shaping and forming first buttonhole when piece measures 1 inch. BUTTONHOLE: Starting at front edge, work 1 st, bind off the next 3 sts, work to end of row. On next row cast on 3 sts over those bound off previous row. Make 6 more buttonholes, evenly spaced — the last one to be made ½ inch below start of neck shaping.

STRIPING PATTERN FOR CUFFS AND COLLAR

Row 1: Using M C, knit.
Row 2: Using M C, Purl.
Rows 3 and 4: Using Color A, knit.
Row 5: Repeat Row 1.
Row 6: Repeat Row 2.
Rows 7 and 8: Using Color B, knit.
Rows 9 and 10: Repeat Row 3.
Rows 11 and 12: Repeat Row 7.
Row 13: Repeat Row 1.
Row 14: Repeat Row 2.
Rows 15 and 16: Repeat Row 3.
Row 17: Repeat Row 1.
Row 18: Repeat Row 2.
Rows 19 and 20: Repeat Row 7.
These 20 rows form striping pattern for cuffs and collar.

SLEEVES: Using No. 9 needles and Color A, cast on 38(40–42–44) sts. Join M C and work in striping pattern for 20 rows. Break off Colors A and B. Using M C, K 1 row and continue in stockinette st, inc 1 st each end of needle every 1 inch 8(8–9–9) times. Work even on 54(56–60–62) sts until piece measures 13(13–13½–13½) inches. SHAPE RAGLAN CAP: On next row dec 1 st each end of needle and repeat this dec every other row 23(24–26–27) times more. Mark 1 edge for front edge. Keeping back edge even, at front edge bind off 2 sts 3 times. On second sleeve reverse top shaping.

COLLAR: Using No. 9 needles and Color A, cast on 70 (72–74–76) sts. Join M C and work in striping pattern for 20 rows. Break off Colors A and B. Using M C, K 1 row, P 1 row. K the next row, dec at even intervals to 56(58–58–60) sts. P 1 row. Bind off.

FINISHING: Sew sleeves to back and front armholes. Sew underarm and sleeve seams. Using M C, with right side facing you, work 1 row s c on front and neck edges, holding neck in to desired size. Turn under 1 st at side edges of collar and hem to wrong side. Sew bound off edge of collar to neck edge, to within ½ inch of each front edge. Steam seams lightly. Finish buttonholes. Sew on buttons.

Style No. 558

Shown at right

These directions are for size 12. Changes for sizes 14, 16 and 18 are in parentheses.

MATERIALS

BERNAT Cuddlespun (2 oz. skeins) — 12(13–13–14)
1 pair straight knitting needles No. 11 OR ANY SIZE NEEDLES WHICH WILL GIVE THE STITCH GAUGE GIVEN BELOW
8 buttons

GAUGE: 7 sts = 2 inches — 7 rows = 1 inch in garter st
4 sts = 1 inch — 7 rows = 1 inch in pattern st

PATTERN STITCH: Multiple of 2 sts plus 1.
Row 1: K 1, * sl 1, K 1, repeat from * across row.
Rows 2 and 4: Purl.
Row 3: Sl 1, * K 1, sl 1, repeat from * across row.
Repeat these 4 rows for pattern stitch.

BACK: Cast on 63(67–69–73) sts. K 7 rows. K the next row, inc at even intervals to 71(75–79–83) sts. P 1 row. Then work in pattern st until piece measures 13½(13½–14–14) inches. SHAPE ARMHOLES: At the beg of each of the next 2 rows bind off 5 sts. Dec 1 st each end of needle every other row 4 times. Work even on 53(57–61–65) sts until armholes measure 7½(7¾–8–8¼) inches. SHAPE SHOULDERS: At the beg of each of the next 4 rows bind off 6(6–6–7) sts. At the beg of each of the next 2 rows bind off 5(7–8–8) sts. Bind off remaining 19(19–21–21) sts.

LEFT FRONT: Cast on 40(42–44–46) sts. K 7 rows. K the next row, inc at even intervals to 45(47–49–51) sts. Row 1: K 6 (front band), P remaining 39(41–43–45) sts. Row 2: Work 39(41–43–45) sts in pattern st, K 6. Row 3: K 6, P to end of row. Keeping 6 sts of front band in garter st and remaining sts in pattern st, work even until piece measures 13½(13½–14–14) inches, ending with a wrong side row. SHAPE ARMHOLE: At arm edge bind off 5 sts. Dec 1 st at same edge every other row 4 times. Work even in pattern as established on 36(38–40–42) sts until armhole measures 5½(5¾–6–6¼) inches, ending at front edge. SHAPE NECK: At front edge bind off 12 sts. Dec 1 st at front edge EVERY ROW 7(7–8–8) times. Work even on 17(19–20–22) sts until armhole measures 7½(7¾–8–8¼) inches. SHAPE SHOULDER: At arm edge bind off 6(6–6–7) sts twice and 5(7–8–8) sts once.

(Continued on page 47)

Style No. 545

Shown at left

These directions are for size 12. Changes for sizes 14, 16 and 18 are in parentheses.

MATERIALS

BERNAT Cuddlespun (2 oz. skeins) — 10(11–11–12)
1 pair straight knitting needles No. 11 OR ANY SIZE NEEDLES WHICH WILL GIVE THE STITCH GAUGE GIVEN BELOW
1 aluminum crochet hook Size J
8 buttons

GAUGE: 9 sts = 2 inches — 4 rows = 1 inch in pattern st for bands
3 sts = 1 inch — 14 rows = 2 inches in pattern st for jacket

PATTERN STITCH FOR BANDS AND COLLAR: Multiple of 2 sts.
Row 1: * Skip next st on left hand needle, insert needle in BACK LOOP of next st, K this st but do not drop from needle, K the skipped st, drop both sts from needle, repeat from * across row.
Row 2: P 1, * skip next st, insert needle in front of next st and P this st, then P the skipped st, drop both sts from needle, repeat from *, ending P 1.
Repeat these 2 rows for pattern stitch for bands and collar.

PATTERN STITCH FOR BACK, FRONTS AND SLEEVES: Multiple of 2 sts plus 1.
Row 1: K 1, * K the next st in the row below, K 1, repeat from * across row.
Row 2: K 2, * K the next st in the row below, K 1, repeat from *, ending K 2 instead of K 1.
Repeat these 2 rows for pattern st for back, front and sleeves.

BACK: WAISTBAND: Cast on 62(66–72–76) sts. Work in pattern st for band for 8 rows, ending with Row 2. On the next row K, dec at even intervals to 53(55–59–63) sts. K 1 row. Work in pattern st for back until piece measures 11(11–11½–11½) inches, ending with Row 1. SHAPE FULL-FASHIONED ARMHOLES: At the beg of each of the next 2 rows bind off 2 sts. Then work as follows: Row 1: K 1, bring yarn to front of work, sl 1, throw yarn to back of work, work in pattern st to last 2 sts, bring yarn to front of work, sl 1, throw yarn to back of work, K 1. Row 2: K 1, sl 1, K 1, psso, work in pattern st to last 3 sts, K 2 tog, K 1. Repeat these 2 rows 3(3–4–5) times more. Work even on 41(43–45–47) sts until armholes measure 7½(7¾–8–8¼) inches. NOTE: When binding off from wrong side, always bind off as to P. SHAPE SHOULDERS: At the beg of each of the next 4 rows bind off 5 sts. At the beg of each of the next 2 rows bind off 4(4–5–6) sts. Bind off remaining 13(15–15–15) sts.

(Continued on page 48)

Style No. 581

Shown at left

These directions are for small size (10–12). Changes for medium size (14–16) and large size (18–20) are in parentheses.

MATERIALS

BERNAT Cuddlespun (2 oz. skeins) — 10(11–12)
1 pair straight knitting needles No. 11 OR ANY SIZE NEEDLES WHICH WILL GIVE THE STITCH GAUGE GIVEN BELOW
1 aluminum crochet hook Size J
10 buttons
3½ yds 2¼ inch grosgrain ribbon

GAUGE: 10 sts = 3 inches 6 rows = 1 inch

PATTERN STITCH: Multiple of 3 sts plus 2.
Row 1: K 2, * bring yarn to front of work, sl 1 st, throw yarn to back of work, K 2, repeat from * across row.
Row 2: Purl.
Repeat these 2 rows for pattern stitch.

BACK: Cast on 62(65–68) sts. P 1 row. Work even in pattern st until piece measures 14(14–14½) inches. SHAPE ARMHOLES: At the beg of each of the next 2 rows bind off 4(4–5) sts. Dec 1 st each end of needle every other row 3 times. Work even on 48(51–52) sts until armholes measure 7½(8–8½) inches. SHAPE SHOULDERS: At the beg of each of the next 4 rows bind off 5 sts. At the beg of each of the next 2 rows bind off 6(7–7) sts. Bind off remaining 16(17–18) sts.

LEFT FRONT: Cast on 35(38–41) sts. P 1 row. Work even in pattern st until piece measures 14(14–14½) inches. SHAPE ARMHOLE: At arm edge bind off 4(4–5) sts. Dec 1 st at same edge every other row 3 times. Work even on 28(31–33) sts until armhole measures 5½(6–6½) inches. SHAPE NECK: At front edge bind off 8 sts once and 2 sts 2(3–4) times. Work even on 16(17–17) sts until armhole measures 7½(8–8½) inches. SHAPE SHOULDER: At arm edge bind off 5 sts twice and 6(7–7) sts once.

RIGHT FRONT: Work to correspond to left front, reversing all shaping and forming first buttonhole when piece measures 1½ inches. BUTTONHOLE: Starting at front edge, work 2 sts, bind off the next 4 sts, work to end of row. On next row cast on 4 sts over those bound off previous row. Make 5 more buttonholes, evenly spaced — the last one to be made 2 inches below start of neck shaping.

SLEEVES: Cast on 16 sts. P 1 row. Then work as follows: Row 1: * K 2, bring yarn forward, sl 1, throw yarn to back of work, repeat from *, ending K 1. Row 2: Purl. Repeat these 2 rows 4 times more. Break off yarn. Sl sts onto a holder. Cast on 16 sts. P 1 row. Then work as follows: Row 1: K 1, * bring yarn forward, sl 1, throw yarn to back of work, K 2, repeat from * across row. Row 2: Purl.

(Continued on page 42)

Style No. 557

Shown at right

These directions are for size 12. Changes for sizes 14, 16 and 18 are in parentheses.

MATERIALS

BERNAT Cuddlespun (2 oz. skeins) — 9(9–10–10) Main Color (M C); 3 Contrasting Color (C C)
1 pair straight knitting needles No. 10½ OR ANY SIZE NEEDLES WHICH WILL GIVE THE STITCH GAUGE GIVEN BELOW
1 steel crochet hook No. 0
8 buttons

GAUGE: 4 sts = 1 inch 6 rows = 1 inch

BACK: Using C C, cast on 90(94–98–102) sts. K 1, P 1 in ribbing for 1½ inches. K the next row, dec at even intervals to 74(78–82–86) sts. Join M C and work even in stockinette st until piece measures 14(14–14½–14½) inches, ending with a P row. SHAPE CAP SLEEVES: At the beg of each of the next 8 rows cast on 5 sts. Work even on 114(118–122–126) sts until sleeves measure 6¼(6½–6¾–7) inches above last group of cast on sts. SHAPE SHOULDERS: At the beg of each of the next 10(10–12–8) rows bind off 7 sts. At the beg of each of the next 4(4–2–6) rows bind off 6 (7–8–8) sts. Bind off remaining 20(20–22–22) sts.

LEFT FRONT: Using C C, cast on 50(52–54–56) sts. P 1, K 1 in ribbing for 1½ inches. On the next row work 5 sts and sl these 5 sts onto a holder to be worked later for front band, P remaining sts, dec at even intervals to 36(38–40–42) sts. Join M C. Row 1: K 18(20–22–24), * P 1, K 2, repeat from * 5 times more. Row 2: * P 2, K 1, repeat from * 5 times more, P 18(20–22–24). Repeat these 2 rows until piece measures 14(14–14½–14½) inches, ending with a wrong side row. SHAPE CAP SLEEVE: At arm edge cast on 5 sts 4 times. Continue in pattern as established on 56 (58–60–62) sts until cap sleeve measures 5¼(5½–5¾–6) inches above last group of cast on sts, ending at front edge. SHAPE NECK: At front edge bind off 6(6–7–7) sts. Dec 1 st at same edge every other row 3 times, and AT THE SAME TIME when cap sleeve measures 6¼(6½–6¾–7) inches above last group of cast on sts, SHAPE SHOULDER: At arm edge bind off 7 sts 5(5–6–4) times and 6 (7–8–8) sts 2(2–1–3) times. FRONT BAND: Sl 5 sts of front band onto needle. Join C C and continue in ribbing until piece is same length as front to start of neck shaping. Sl sts onto a holder.

RIGHT FRONT AND RIGHT FRONT BAND: Work to correspond to left front and left front band, reversing placing of front band and pattern and all shaping and forming first buttonhole when piece measures 1½ inches. BUTTONHOLE: Starting at front edge, work 2 sts, bind off the next

(Continued on page 42)

STYLE NO. 600

STYLE NO. 3906

Style No. 600

These directions are for size 12. Changes for sizes 14, 16 and 18 are in parentheses.

MATERIALS

BERNAT Cuddlespun (2 oz. skeins) — 9(9–10–10)
1 pair straight knitting needles No. 8 OR ANY SIZE NEEDLES WHICH WILL GIVE THE STITCH GAUGE GIVEN BELOW
1 aluminum crochet hook Size I
½ yd 1¼ inch grosgrain ribbon
3 buttons

GAUGE: 4 sts = 1 inch 13 rows = 2 inches

BACK: Cast on 53(57–61–65) sts. Work in seed st, inc 1 st each end of needle every ¾ inch 9 times. Work even on 71(75–79–83) sts until piece measures 7(7–7½–7½) inches. SHAPE DOLMAN SLEEVES: At the beg of each of the next 8 rows cast on 2 sts. At the beg of each of the next 4 rows cast on 16 sts. Work even on 151(155–159–163) sts until sleeves measure 5¾(6–6¼–6½) inches above last group of cast on sts. SHAPE SHOULDERS: At the beg of each of the next 10 rows bind off 11(11–11–12) sts. At the beg of each of the next 2 rows bind off 11(13–14–11) sts. Bind off remaining 19(19–21–21) sts.

LEFT FRONT: Cast on 33(35–37–39) sts. Work in seed st, inc 1 st at arm edge every ¾ inch 9 times. Work even on 42(44–46–48) sts until piece measures 7(7–7½–7½) inches. SHAPE DOLMAN SLEEVE: At arm edge cast on 2 sts 4 times and 16 sts twice. Work even on 82(84–86–88) sts until sleeve measures 5¾(6–6¼–6½) inches above last group of cast on sts. SHAPE SHOULDER: At arm edge bind off 11(11–11–12) sts 5 times and 11(13–14–11) sts once. Work even for 2½(2½–2¾–2¾) inches on remaining 16(16–17–17) sts. Bind off.

RIGHT FRONT: Work to correspond to left front, reversing all shaping and forming first buttonhole when piece measures 1 inch. BUTTONHOLE: Starting at front edge, work 2 sts, bind off the next 3 sts, work to end of row. On next row cast on 3 sts over those bound off previous row. Make 2 more buttonholes, spaced 2½ inches apart.

FINISHING: Sew shoulder seams, leaving 3 inches open for turn back cuff. Sew underarm and sleeve seams, reversing seam on last 3 inches for cuffs. Seam collar and sew to back of neck. With right side facing you, starting 7 inches above lower edge, work 1 row s c on left front edge. With wrong side facing you, work 1 row s c on remainder of front and collar edges and around cuff edges. Fold back cuffs and tack in place. Steam seams lightly. Face fronts with ribbon. Finish buttonholes. Sew on buttons.

Style No. 3906

These directions are for size 12. Changes for sizes 14, 16 and 18 are in parentheses.

MATERIALS

BERNAT Opalspun (2 oz. skeins) — 10(11–12–13) Main Color (M C)
BERNAT Cuddlespun (2 oz. skeins) — 1(1–2–2) Contrasting Color (C C)
1 pair straight knitting needles No. 9 OR ANY SIZE NEEDLES WHICH WILL GIVE THE STITCH GAUGE GIVEN BELOW
1 aluminum crochet hook Size H
1 button

GAUGE: 4 sts = 1 inch 6 rows = 1 inch

BACK: Using M C, cast on 62(66–70–74) sts. Work in stockinette st, inc 1 st each end of needle every 6th row 4 times. Work even on 70(74–78–82) sts until piece measures 5½(5½–6–6) inches. SHAPE ARMHOLES: At the beg of each of the next 2 rows bind off 4 sts. Dec 1 st each end of needle every other row 4(4–5–5) times. Work even on 54(58–60–64) sts until armholes measure 7½(7¾–8–8¼) inches. SHAPE SHOULDERS: At the beg of each of the next 4 rows bind off 6(6–7–7) sts. At the beg of each of the next 2 rows bind off 5(7–6–8) sts. Bind off remaining 20 sts.

LEFT FRONT: Using M C, cast on 7(9–9–11) sts. Working in stockinette st, at front edge cast on 5 sts twice. Continuing to cast on 5 sts at front edge once more, on the next row inc 1 st at arm edge. Continuing to inc 1 st at arm edge every 6th row 3 times more, inc 1 st at front edge EVERY ROW 8(8–10–10) times and every other row 6 times. Work even on 40(42–44–46) sts until piece measures 5½(5½–6–6) inches. SHAPE ARMHOLE: At arm edge bind off 4 sts. Dec 1 st at same edge every other row 3 times. Work even on 33(35–37–39) sts for 2 rows. On the next row at front edge inc 1 st and repeat this inc every 16th row once more. Work even on 35(37–39–41) sts until armhole measures 6½(6¾–7–7¼) inches. SHAPE NECK: At front edge bind off 11(11–12–12) sts. Dec. 1 st at neck edge EVERY ROW 5 times. SHAPE SHOULDER: Continuing to dec 1 st at neck edge EVERY ROW twice more, at arm edge bind off 6(6–7–7) sts twice and 5(7–6–8) sts once.

RIGHT FRONT: Work to correspond to left front, reversing all shaping and forming first buttonhole when piece measures 3¼(3¼–3½–3½) inches. BUTTONHOLE: Starting at front edge, K 3 sts, bind off the next 4 sts, K to end of row. On the next row cast on 4 sts over those bound off previous row.

SLEEVES: Using M C, cast on 36(36–38–38) sts. Work even in stockinette st for 7 rows. On the next row inc 1 st each end of needle and repeat this inc every 8th(8th–8th–6th)

(Continued on page 45)

STYLE NO. 612

STYLE NO. 3905

Style No. 612

These directions are for size 12. Changes for sizes 14, 16 and 18 are in parentheses.

MATERIALS

BERNAT Cuddle-Tweed (2 oz. skeins) — 10(11–12–12)
1 pair each straight knitting needles Nos. 6 and 10 OR ANY SIZE NEEDLES WHICH WILL GIVE THE STITCH GAUGE GIVEN BELOW
1 aluminum crochet hook Size I
5 buttons
¾ yd 1 inch grosgrain ribbon

GAUGE: 13 sts = 3 inches 6 rows = 1 inch

PATTERN STITCH: Multiple of 4 sts plus 2.
Row 1: K 2, * skip 1 st, K the next st, do not drop this st off needle, K the skipped st and drop both sts off left hand needle (cross st), K 2, repeat from * across row.
Rows 2 and 4: Purl.
Row 3: * Skip 1 st, K next st, do not drop the st off needle, K the skipped st and drop both sts off left hand needle (cross st), K 2, repeat from *, ending work a cross st on last 2 sts.
Repeat these 4 rows for pattern stitch.

BACK: Using No. 6 needles, cast on 64(68–72–76) sts. K 2, P 2 in ribbing for 7 rows. P the next row, inc 1 st each end of needle — 66(70–74–78) sts. Change to No. 10 needles and work in pattern st, inc 1 st each end of needle every 1½ inches 4 times, forming new patterns as sts are increased. Work even on 74(78–82–86) sts until piece measures 9(9–9½–9½) inches. SHAPE ARMHOLES: At the beg of each of the next 2 rows bind off 5 sts. Dec 1 st each end of needle every other row 3 times. Work even on 58 (62–66–70) sts until armholes measure 7¾(8–8¼–8½) inches. SHAPE SHOULDERS: At the beg of each of the next 4 rows bind off 6(7–7–8) sts. At the beg of each of the next 2 rows bind off 7(7–8–8) sts. Bind off remaining 20(20–22–22) sts.

LEFT FRONT: Using No. 6 needles, cast on 44(44–48–48) sts. P 2, K 2 in ribbing for 7 rows. On the next row P 2, K 2, P 2 (front band), P to end of row. Change to No. 10 needles and work Row 1 of pattern st on first 38(38–42–42) sts, K 2, P 2, K 2 (front band). Keeping the 6 sts of front band in ribbing, work remaining sts in pattern st, inc 1 st at arm edge every 3(1½–3–1½) inches 2(4–2–4) times, forming new patterns as sts are increased. Work even on 46 (48–50–52) sts until piece measures 9(9–9½–9½) inches, ending with same row of pattern st as on back at underarm. SHAPE ARMHOLE: At arm edge bind off 5 sts. Dec 1 st at same edge every other 3 times. Work even on 38(40–42–44) sts until armhole measures 2 inches. SHAPE NECK: At front edge bind off 3 sts. Dec 1 st at same edge every other row 16(16–17–17) times. Work even on 19(21–22–24) sts until armhole measures 7¾(8–8¼–8½) inches. SHAPE SHOULDER: At arm edge bind off 6(7–7–8) sts twice and 7(7–8–8) sts once.

(Continued on page 47)

Style No. 3905

These directions are for small size (10-12). Changes for medium size (14-16) and large size (18-20) are in parentheses.

MATERIALS

BERNAT Cuddlespun (2 oz. skeins) — 8(9–10)
1 pair each straight knitting needles Nos. 7 and 10½ OR ANY SIZE NEEDLES WHICH WILL GIVE THE STITCH GAUGE GIVEN BELOW
1 aluminum crochet hook Size I
10 buttons

GAUGE: 7 sts = 2 inches 11 rows = 2 inches

PATTERN STITCH: Multiple of 4 sts.
Row 1: P 1, * K 2, P 2, repeat from *, ending P 1 instead of P 2.
Row 2: K 1, * P 1, y o, P 1, K 2, repeat from *, ending K 1 instead of K 2.
Row 3: P 1, * K 3, P 2, repeat from *, ending P 1 instead of P 2.
Row 4: K 1, * P 3, K 2, repeat from *, ending K 1 instead of K 2.
Row 5: P 1, * sl 1, K 2, pass sl st over 2 K sts, P 2, repeat from *, ending P 1 instead of P 2.
Repeat Rows 2 through 5 for pattern stitch.

BACK: Using No. 10½ needles, cast on 60(64–68) sts. Work even in pattern stitch until piece measures 5½(5½–6) inches. SHAPE RAGLAN ARMHOLES: At the beg of each of the next 2 rows bind off 3 sts. Dec 1 st each end of needle every other row 20(21–22) times. Bind off remaining 14(16–18) sts.

LEFT FRONT: Using No. 10½ needles, cast on 40(44–48) sts. Work even in pattern st until piece measures 4 inches, SHAPE FRONT: On the next row at front edge inc 1 st st and repeat this inc every other row twice more, forming new patterns as sts are increased. Work even on 43(47–51) sts until piece measures 5½(5½–6) inches, ending with same row of pattern st as on back at underarm. SHAPE RAGLAN ARMHOLE: At arm edge bind off 3 sts. Dec 1 st at same edge every other row 15 (16–17) times, ending with a right side row. SHAPE NECK: At front edge bind off 15(16–17) sts. Continuing to dec 1 st at arm edge every other row 5 times more, at front edge dec 1 st EVERY ROW 5(7–9) times.

RIGHT FRONT: Work to correspond to left front, reversing all shaping.

SLEEVES: Using No. 7 needles, cast on 32(36–36) sts. K 1, P 1 in ribbing for 1 inch. Change to No. 10½ needles and work in pattern st, inc 1 st each end of needle every other row 7(6–7) times, forming new patterns as sts are increased. Work even on 46(48–50) sts until piece measures 5½(5½–6) inches, ending with same row of pattern st as on back at

(Continued on page 46)

STYLE NO. 3903

STYLE NO. 602

Style No. 3903

MATERIALS

BERNAT Cuddlespun (2 oz. skeins) — 7
1 pair straight knitting needles No. 13 OR ANY SIZE NEEDLES WHICH WILL GIVE THE STITCH GAUGE GIVEN BELOW
1 aluminum crochet hook Size I
1 button

GAUGE: 4 sts = 1 inch 5 rows = 1 inch

PATTERN STITCH: Multiple of 8 sts plus 6.
Row 1: P 1, * skip 1 st, K the next st, do not drop this st from needle, K the skipped st, drop both sts from needle, insert right hand needle FROM BACK TO FRONT between the next 2 sts, K the 2nd st then K the skipped st and drop both sts from needle, P 4, * repeat between *'s, ending P 1 instead of P 4.
Rows 2 and 4: K 1, * P 4, K 4, repeat from *, ending P 4, K 1.
Row 3: P 1, * insert needle FROM BACK TO FRONT between next 2 sts, K the 2nd st, then K the skipped st and drop both sts from needle, skip next st, K the 2nd st, then K the skipped st and drop both sts from needle, P 4, * repeat between *'s, ending P 1 instead of P 4.
Repeat these 4 rows for pattern stitch.

BACK: Cast on 62 sts. Work even in pattern st for 9 inches, ending with a wrong side row. On next row dec 1 st in each of the 7 P panels — 55 sts. Continue in new pattern inc 1 st each end of needle every other row twice. Work even on 59 sts until piece measures 12 inches. SHAPE SHOULDERS: At the beg of each of the next 6 rows bind off 6 sts. Bind off remaining 23 sts.

LEFT FRONT: Cast on 33 sts. Row 1: P 1, repeat between *'s of Row 1 of pattern st. Row 2: * P 4, K 4 repeat from *, ending P 4, K 1. Keeping the 4 sts at front edge in garter st (P EVERY ROW) work even in pattern as established until piece measures 9 inches, ending with a wrong side row. On next row dec 1 st in each of the 3 P panels. Continue in pattern as established, inc 1 st at arm edge every other row twice — 32 sts. SHAPE NECK: At front edge bind off 8 sts once and 3 sts twice. Work even on 18 sts until piece measures 12 inches. SHAPE SHOULDER: At arm edge bind off 6 sts 3 times.

RIGHT FRONT: Work to correspond to left front, reversing placing of garter st at front and all shaping.

CAPE SLEEVES: Cast on 62 sts. Row 1: P 5, repeat between *'s of Row 1 of pattern st, ending P 5, instead of P 4. Row 2: K 5, * P 4, K 4, repeat from *, ending P 4, K5.

(Continued on page 46)

Style No. 602

These directions are for size 12. Changes for sizes 14, 16 and 18 are in parentheses.

MATERIALS

BERNAT Cuddlespun (2 oz. skeins) — 10(11–11–12)
1 pair straight knitting needles No. 10 OR ANY SIZE NEEDLES WHICH WILL GIVE THE STITCH GAUGE GIVEN BELOW
1 aluminum crochet hook Size I
1 d p needle or cable holder
6 buttons
1½ yds 1¼ inch grosgrain ribbon

GAUGE: 4 sts = 1 inch 6 rows = 1 inch

BACK: Cast on 58(63–63–68) sts. Row 1: K 3, * sl 2, K 3, repeat from * across row. Row 2: Purl. Repeat these 2 rows until piece measures 4 inches. On next row inc 1 st each end of needle and repeat this inc every 1 inch 5(5–7–6) times more, forming new patterns as sts are increased. Work even on 70(75–79–82) sts until piece measures 12 (12–12½–12½) inches. SHAPE ARMHOLES: At the beg of each of the next 2 rows bind off 5(5–6–6) sts. Dec 1 st each end of needle every other row 3(4–4–4) times. Work even in pattern as established on 54(57–59–62) sts until armholes measure 6(6¼–6½–6¾) inches. SHAPE SHOULDERS: At the beg of each of the next 4 rows bind off 6 (6–6–7) sts. At the beg of each of the next 2 rows bind off 6(7–8–7) sts. Bind off remaining 18(19–19–20) sts.

LEFT FRONT: Cast on 32(34–34–37) sts. Row 1: K 1(3–3–1), sl 2, * K 3, sl 2, repeat from * to last 4 sts, K 4 (front band). Row 2: K 4, P to end of row. Repeat these 2 rows until piece measures 4 inches. On next row at arm edge inc 1 st and repeat this inc every 1 inch 5(5–7–6) times more, forming new patterns as sts are increased. Work even on 38 (40–42–44) sts until piece measures 12(12–12½–12½) inches. SHAPE ARMHOLE: At arm edge bind off 5 (5–6–6) sts. Dec 1 st at same edge every other row 3(4–4–4) times. Work even on 30(31–32–34) sts until armhole measures 5(5¼–5½–5¾) inches. SHAPE NECK: At front edge bind off 8(8–8–9) sts once and 2 sts twice. SHAPE SHOULDER: At arm edge bind off 6(6–6–7) sts twice and 6(7–8–7) sts once.

RIGHT FRONT: Work to correspond to left front, reversing pattern and all shaping and forming first buttonhole when piece measures 1 inch. BUTTONHOLE: Starting at front edge, K 1, bind off the next 2 sts, work to end of row. On next row cast on 2 sts over those bound off previous row. Make 5 more buttonholes, evenly spaced — the last one to be made ¾ inch below start of neck shaping.

(Continued on page 46)

Style No. 3858

Shown at right

MATERIALS

BERNAT Cuddlespun (2 oz. skeins) — 11 Main Color (M C)
BERNAT Tinsel-Corde (75 yd. spools) — 4 Contrasting Color (C C)
1 aluminum crochet hook Size I
1 steel crochet hook No. 0
Paillettes

GAUGE: 3 d c = 1 inch 4 rows d c = 3 inches

BACK: Using M C and Size I hook, starting at neck edge, ch 21. Row 1: Work 1 d c in 5th st from hook and in each st to end of ch, ch 4, turn — 18 d c. NOTE: Always count ch 4 as first d c. Row 2: 1 d c in first d c (inc), * 1 d c in each of next 2 d c, 2 d c in next d c, repeat from * 4 times more, 1 d c in each of last 2 d c, ch 4, turn — 6 sts inc. Row 3: 1 d c in 2nd d c and in each d c to end of row, ch 4, turn. Row 4: 1 d c in first d c (inc), * 1 d c in each of next 3 d c, 2 d c in next d c, repeat from * 4 times more, 1 d c in each of next 3 d c, ch 4, turn — 6 sts inc. Row 5: Repeat Row 3. Continue in this manner to inc 6 d c every other row twice more, having 1 d c more between incs on every inc row. Inc 6 d c in same manner on each of the next 2 rows — 54 d c. Row 12: Repeat Row 3. Row 13: 1 d c in 2nd d c and in each of next 2 d c, * 2 d c in next d c, 1 d c in each of next 4 d c, repeat from * to end of row, ch 4, turn — 10 sts inc. Row 14: Repeat Row 3. Row 15: 1 d c in 2nd d c and in each of next 2 d c, * 2 d c in next d c, 1 d c in each of next 5 d c, repeat from * to end of row, ch 4, turn — 10 sts inc. Continue in this manner to inc 10 sts every other row 5 times more, having 1 d c more between incs on each inc row — 124 d c. Repeat Row 3 until there are 29 rows. Fasten off.

LEFT COLLAR: Starting at centre back of neck, ch 13. Work 1 d c in 5th st from hook and in each st to end of ch, ch 4, turn — 10 d c. Work even for 9 rows more, ending at neck edge. Mark end of last row for start of left front. LEFT FRONT: Row 1: Work in d c, inc at even intervals to 14 d c. Continue in this manner to inc 4 d c every other row 7 times more — 42 d c. Then inc 6 sts every 3rd row 3 times — 60 d c. Work even until there are 29 rows above marker, ending at front edge. Mark end of last row, ch 4, turn. LOWER FRONT PANEL: Rows 1 through 6: Work 1 d c in each of first 29 d c, ch 4, turn. Row 7: Work in d c to last 4 d c, 1 s c in next st, ch 1, turn. Row 8: 1 s c in each of first 3 sts, 1 d c in each st to end of row, ch 4, turn. Repeat Rows 7 and 8 three times more. Row 15: 1 d c in first d c, 1 s c in next st, 1 sl st in next st. Fasten off.

RIGHT COLLAR AND FRONT: Work to correspond to left collar and front, reversing shaping of lower front panel.

(Continued on page 47)

Style No. 3866

Shown at left

MATERIALS

BERNAT Cuddlespun (2 oz. skeins) — 8 Main Color (M C)
BERNAT Tinsel-Corde (75 yd. spools) — 3 Color A
BERNAT Metallo (1000 ft. spools) — 1 Color B
1 aluminum crochet hook Size I
4 60-inch strings No. 6 pearls

GAUGE: 3 d c = 1 inch 4 rows d c = 3 inches

STOLE: Using M C and starting at centre top, ch 5. Row 1: Work 5 d c in 5th st from hook, ch 4, turn. NOTE: Always count ch 4 as first d c. Row 2: 1 d c in first d c (an inc), 2 d c in each of remaining 5 d c, ch 4, turn — 6 sts increased. Row 3: 1 d c in first d c (an inc), * 1 d c in next d c, 2 d c in next d c, repeat from *, ending 1 d c in top of turning ch, ch 4, turn — 6 sts increased. Continue in this manner to inc 6 sts in a row for 3 rows more, having 1 d c more between increases on each row — 36 d c. Row 7: 1 d c in first d c, * 1 d c in each of next 3 d c, 2 d c in next d c, repeat from *, ending 1 d c in each of last 3 d c, ch 4, turn — 9 sts increased. Continue in this manner to inc 9 sts in a row for 5 rows more, having 1 d c more between increases on each row — 90 d c. Row 13: 1 d c in first d c, * 1 d c in each of next 5 d c, 2 d c in next d c, repeat from *, ending 1 d c in each of last 5 d c, ch 4, turn — 15 sts increased. Continue in this manner to inc 15 sts in a row for 5 rows more, having 1 d c more between increases on each row — 180 d c. Row 19: Work 1 d c in 2nd d c and in each d c to end of row. Mark this row for right side of work. Break off. String pearls onto Color B. Row 20: Working from right side and using one strand each of Colors A and B, work 1 s c in first d c, * slide 1 pearl close to last s c made, work 1 s c in each of next 2 d c, repeat from *, ending 1 s c in last d c, ch 1, turn. Rows 21 and 22: Work 1 s c in each s c, ch 1, turn. Break off Colors A and B. Row 23: Working from right side, join 1 strand each of Colors A and B and work 1 s c in first s c, * slide 1 pearl close to last s c made, work 1 s c in next s c, repeat from * across row, ch 1, turn. Rows 24 and 25: Repeat Row 21. Row 26: Repeat Row 20. Break off Colors A and B. Row 27: Working from right side, join M C, ch 4, 1 d c in first s c (an inc), * 1 d c in each of next 14 s c, 2 d c in next s c, repeat from *, ending 1 d c in each of last 14 s c, ch 4, turn — 12 sts increased. Row 28: 1 d c in first d c, * 1 d c in each of next 15 d c, 2 d c in next d c, repeat from *, ending 1 d c in each of last 15 d c, ch 4, turn — 204 d c. Row 29: 1 d c in second d c and in each d c to end of row. Break off yarn. Rows 30 through 36: Repeat Rows 20 through 26. Row 37: Working from right side, join M C, ch 4, working in d c, inc 1 d c in every 20th d c 10 times, work across row, ch 4, turn— 214 d c. Row 38: Work even in d c. Break off.

(Continued on page 46)

Style No. 613

Shown on Front cover and at left

These directions are for size 12. Changes for sizes 14, 16 and 18 are in parentheses.

MATERIALS

BERNAT Cuddlespun (2 oz. skeins) — 7(8–9–10) Main Color (M C); 1 each of Color A and Color B
1 pair straight knitting needles No. 10½ OR ANY SIZE NEEDLES WHICH WILL GIVE THE STITCH GAUGE GIVEN BELOW
5 buttons

GAUGE: 7 sts = 2 inches 5 rows = 1 inch

PATTERN STITCH: Multiple of 6 sts plus 3.
Rows 1 through 4: Using M C, work in seed st.
Row 5 (wrong side): K 1 M C, P 1 M C, * K 1 M C, P 1 M C, P 1 Color A, P 1 M C, K 1 M C, P 1 M C, repeat from *, ending K 1 M C.
Row 6: K 1 M C, P 1 M C, K 1 M C, * K 3 Color A, K 1 M C, P 1 M C, K 1 M C, repeat from * across row.
Row 7: Repeat Row 5.
Rows 8 through 11: Using M C, work in seed st.
Row 12: K 1 M C, K 1 Color B, K 1 M C, * P 1 M C, K 1 M C, P 1 M C, K 1 M C, K 1 Color B, K 1 M C, repeat from * across row.
Row 13: P 3 Color B, * P 1 M C, K 1 M C, P 1 M C, P 3 Color B, repeat from * across row.
Row 14: Repeat Row 12.
Repeat these 14 rows for pattern stitch.

(Continued on page 44)

Style No. 609

Shown on Front cover and at right

These directions are for small size (10–12). Changes for medium size (14–16) and large size (18–20) are in parentheses.

MATERIALS

BERNAT Cuddlespun (2 oz. skeins) — 11(12–14)
1 pair straight knitting needles No. 10½ OR ANY SIZE NEEDLES WHICH WILL GIVE THE STITCH GAUGE GIVEN BELOW
1 aluminum crochet hook Size I
5 buttons

GAUGE: 3 sts = 1 inch 5 rows = 1 inch

PATTERN STITCH: Multiple of 4 sts plus 2.
Row 1: K 2, * K in front, K in back, K in front of next st (3 sts made in one st), make 3 sts in next st, K 2, repeat from * across row.
Row 2 (right side): P 2, * working in BACK LOOPS, K next 3 sts tog (1 st made from 3 sts), make 1 st from next 3 sts, P 2, repeat from * across row.
Row 3: K 2, * P 2, K 2, repeat from * across row.
Row 4: P 2, * K 2, P 2, repeat from * across row.
Row 5: Make 3 sts in first st, make 3 sts in next st, * P 2, make 3 sts in next st, make 3 sts in next st, repeat from * across row.
Row 6: Make 1 st from first 3 sts, make 1 st from next 3 sts, * P 2, make 1 st from next 3 sts, make 1 st from next 3 sts, repeat from * across row.
Row 7: Repeat Row 4.
Row 8: Repeat Row 3.
Repeat these 8 rows for pattern stitch.

BACK: Cast on 54(58–62) sts. K 2, P 2 in ribbing for 9 rows. Work even in pattern st until piece measures 14(14–14½) inches, ending with Row 3 or Row 7. SHAPE ARMHOLES: At the beg of each of the next 2 rows bind off 5 sts. Dec 1 st each end of needle every other row 3 times. Work even on 38(42–46) sts until armholes measure 7½ (8–8½) inches. SHAPE SHOULDERS: At the beg of each of the next 2 rows bind off 6(7–7) sts. At the beg of each of the next 2 rows bind off 6(7–8) sts. Bind off remaining 14(14–16) sts.

LEFT FRONT: Cast on 32(36–40) sts. P 2, K 2 in ribbing for 9 rows. On next row P 2, K 2, P 2 and sl these 6 sts onto a holder to be worked later for front band, work Row 1 of pattern st on remaining 26(30–34) sts. Continue in pattern st until piece measures 14(14–14½) inches, ending with same row of pattern st as on back at underarm. SHAPE ARMHOLE: At arm edge bind off 5 sts. Dec 1 st at same edge every other row 3(3–5) times. SHAPE NECK: On next row dec 1 st at front edge and repeat this dec every

(Continued on page 44)

Style No. 610

Shown on Back Cover and at left

These directions are for size 12. Changes for sizes 14, 16 and 18 are in parentheses.

MATERIALS

BERNAT Cuddlespun (2 oz. skeins) — 5(6–6–7) Main Color (M C); 4(5–5–6) Contrasting Color (C C)
1 pair each straight knitting needles Nos. 8 and 10½ OR ANY SIZE NEEDLES WHICH WILL GIVE THE STITCH GAUGE GIVEN BELOW
1 aluminum crochet hook Size I
10 buttons

GAUGE: 3 sts = 1 inch 6 rows = 1 inch

PATTERN STITCH: Multiple of 2 sts plus 1.
Row 1: Using M C, K 2, * y o, sl 1 as to P, K 1, repeat from *, ending K 2 instead of K 1.
Row 2 (right side): Using C C, K 2, * K tog next st and y o, K 1, repeat from *, ending K 2 instead of K 1.
Row 3: Using C C, * K 1, y o, sl 1 as to P, repeat from *, ending K 1.
Row 4: Using M C, * K 1, K tog next st and y o, repeat from *, ending K 1.
Repeat these 4 rows for pattern stitch.

BACK: Using No. 8 needles and M C, cast on 53(55–59–63) sts. K 1, P 1 in ribbing for 3 inches. K the next row. Change to No. 10½ needles and work even in pattern st until piece measures 11(11–11½–11½) inches. SHAPE ARMHOLES: At the beg of each of the next 2 rows bind off 4 sts. Dec 1 st each end of needle every other row 2(2–3–4) times. Work even on 41(43–45–47) sts until armholes measure 7¾(8–8¼–8½) inches. SHAPE SHOULDERS: At the beg of each of the next 2 rows bind off 7(7–7–8) sts. At the beg of each of the next 2 rows bind off 7(7–8–8) sts. Bind off remaining 13(15–15–15) sts.

LEFT FRONT: Using No. 8 needles and M C, cast on 30 (32–34–36) sts. P 1, K 1 in ribbing for 3 inches. On next row K to last 5(5–5–7) sts, sl last 5(5–5–7) sts onto a holder to be worked later for front band. Change to No. 10½ needles and work even in pattern st on 25(27–29–29) sts until piece measures 11(11–11½–11½) inches. SHAPE ARMHOLE: At arm edge bind off 4 sts. Dec 1 st at same edge every other row 2(2–4–4) times. Work even on 19(21–21–21) sts until armhole measures 5½(5¾–6–6¼) inches. SHAPE NECK: At front edge bind off 3(5–4–3) sts. Dec 1 st at same edge every other row twice. Work even on 14(14–15–16) sts until armhole measures 7¾(8–8¼–8½) inches. SHAPE SHOULDER: At arm edge bind off 7(7–7–8) sts once and 7(7–8–8) sts once. LEFT FRONT BAND: Sl 5(5–5–7) sts from holder onto No. 8 needle. Join M C and continue in ribbing until piece is same length as front to start of neck shaping. Bind off.

(Continued on page 42)

Style No. 5906

Shown on Back cover and at right

These directions are for size 6. Changes for sizes 8, 10 and 12 are in parentheses.

MATERIALS

BERNAT Cuddlespun (2 oz. skeins) — 3(4–4–5) Main Color (M C); 2(3–3–4) Contrasting Color (C C)
1 pair each straight knitting needles Nos. 8 and 10½ OR ANY SIZE NEEDLES WHICH WILL GIVE THE STITCH GAUGE GIVEN BELOW
1 aluminum crochet hook Size I
8 buttons

GAUGE: 3 sts = 1 inch 6 rows = 1 inch

PATTERN STITCH: Multiple of 2 sts plus 1.
Row 1: Using M C, K 2, * y o, sl 1 as to P, K 1, repeat from *, ending K 2 instead K 1.
Row 2 (right side): Using C C, K 2, * K tog next st and y o, K 1, repeat from *, ending K 2 instead of K 1.
Row 3: Using C C, * K 1, y o, sl 1 as to P, repeat from *, ending K 1.
Row 4: Using M C, * K 1, K tog next st and y o, repeat from *, ending K 1.
Repeat these 4 rows for pattern stitch.

(Continued on page 48)

Style No. 616

Shown at left

These directions are for size 12. Changes for sizes 14, 16 and 18 are in parentheses.

MATERIALS

BERNAT Cuddlespun (2 oz. skeins) — 10(11–11–12)
1 pair each straight knitting needles Nos. 7 and 10 OR ANY SIZE NEEDLES WHICH WILL GIVE THE STITCH GAUGE GIVEN BELOW
1 aluminum crochet hook Size I
3 yds ⅝ inch satin ribbon
1 yd 1 inch grosgrain ribbon
7 buttons

GAUGE: 7 sts = 2 inches 6 rows = 1 inch

PATTERN STITCH

Rows 1, 2, 4, 6, 8, 10 and 11: Purl.
Rows 3, 5, 7 and 9: Knit.
Rows 12 through 22: K 1, P 1 in ribbing.
Repeat these 22 rows for pattern stitch.

BACK: Using No. 7 needles, cast on 50(54–56–60) sts. K 1, P 1 in ribbing for 3 inches. Change to No. 10 needles and work in pattern st, inc 1 st each end of needle every ¾ inch 6 times. Work even on 62(66–68–72) sts until piece measures 8(8–8½–8½) inches. SHAPE DOLMAN SLEEVES: On the next row inc 1 st each end of needle and repeat this inc every other row twice more. At the beg of each of the next 12 rows cast on 7 sts. Work even on 152(156–158–162) sts until sleeves measure 4¾(5–5¼–5½) inches above last group of cast on sts. SHAPE SHOULDERS: At the beg of each of the next 18 rows bind off 7 sts. At the beg of each of the next 2 rows bind off 4(5–5–7) sts. Bind off remaining 18(20–22–22) sts.

LEFT FRONT: Using No. 7 needles, cast on 30(32–34–36) sts. K 1, P 1 in ribbing for 3 inches. Change to No. 10 needles and work Row 1 of pattern st on 24(26–28–30) sts, sl remaining 6 sts onto a holder to be worked later for front band. Continuing in pattern st, inc 1 st at arm edge every ¾ inch 6 times. Work even on 30(32–34–36) sts until piece measures 8(8–8½–8½) inches, ending with same row of pattern st as on back at underarm. SHAPE DOLMAN SLEEVE: On the next row inc 1 st at arm edge and repeat this inc every other row twice more. At same edge cast on 7 sts 6 times. Work even on 75(77–79–81) sts until sleeve measures 4¾(5–5¼–5½) inches above last group of cast on sts. SHAPE SHOULDER: At arm edge bind off 7 sts 3 times. SHAPE NECK: At front edge bind off 2(3–5–5) sts. Continuing to bind off 7 sts at arm edge 6 times more and 4(5–5–7) sts once, at neck edge bind off 2 sts 3 times. LEFT FRONT BAND: Sl 6 sts from holder onto No. 7 needle. Join yarn and continue in ribbing until piece is same length as front to start of neck shaping. Bind off.

(Continued on page 42)

Style No. 5907

Shown at right

These directions are for size 6. Changes for sizes 8, 10 and 12 are in parentheses.

MATERIALS

BERNAT Cuddlespun (2 oz. skeins) — 6(6–7–8)
1 pair each straight knitting needles Nos. 7 and 10 OR ANY SIZE NEEDLES WHICH WILL GIVE THE STITCH GAUGE GIVEN BELOW
1 aluminum crochet hook Size I
2 yds ⅝ inch satin ribbon
1 yd 1 inch grosgrain ribbon
6 buttons

GAUGE: 7 sts = 2 inches 6 rows = 1 inch

PATTERN STITCH

Rows 1, 2, 4, 6, 8 and 9: Purl.
Rows 3, 5 and 7: Knit.
Rows 10 through 18: K 1, P 1 in ribbing.
Repeat these 18 rows for pattern stitch.

BACK: Using No. 7 needles, cast on 40(44–48–50) sts. K 1, P 1 in ribbing for 2 inches. Change to No. 10 needles and work in pattern st, inc 1 st each end of needle every 1½ inches 3 times. Work even on 46(50–54–56) sts until piece measures 7(7½–7¾–8) inches. SHAPE DOLMAN SLEEVES: On the next row inc 1 st each end of needle and repeat this inc every other row twice more. At the beg of each of the next 10 rows cast on 7 sts. Work even on 122(126–130–132) sts until sleeve measures 3½(3¾–4–4¼) inches above last group of cast on sts. SHAPE SHOULDERS: At the beg of each of the next 14 rows bind off 7 sts. At the beg of each of the next 2 rows bind off 4(6–8–8) sts. Bind off remaining 16(16–16–18) sts.

LEFT FRONT: Using No. 7 needles, cast on 24(26–28–30) sts. K 1, P 1 in ribbing for 2 inches. Change to No. 10 needles and work Row 1 of pattern st on first 18(20–22–24) sts, sl last 6 sts onto a holder to be worked later for front band. Continuing in pattern st, inc 1 st at arm edge every 1½ inches 3 times. Work even on 21(23–25–27) sts until piece measures 7(7½–7¾–8) inches, ending with same row of pattern st as on back at underarm. SHAPE DOLMAN SLEEVE: On the next row inc 1 st at arm edge and repeat this inc every other row twice more. At same edge cast on 7 sts 5 times. Work even on 59(61–63–65) sts until sleeve measures 3½(3¾–4–4¼) inches above last group of cast on sts. SHAPE SHOULDER: At arm edge bind off 7 sts 3 times. SHAPE NECK: At front edge bind off 2(2–2–4) sts. Continuing to bind off 7 sts at arm edge 4 times more and 4(6–8–8) sts once, at neck edge bind off 2 sts twice. LEFT FRONT BAND: Sl 6 sts from holder onto No. 7 needle, join yarn and continue in ribbing until piece is same length as front to start of neck shaping. Bind off.

(Continued on page 43)

Style No. 590

Shown at left

These directions are for small size (10-12). Change for medium size (14-16) and large size (18-20) are in parentheses.

MATERIALS

BERNAT Cuddlespun (2 oz. skeins) — 5(5–6) Gun Metal (M C); 3(3–4) Cognac (Color A); 3(3–4) Beige (Color B)
1 pair each straight knitting needles Nos. 5 and 10½ OR ANY SIZE NEEDLES WHICH WILL GIVE THE STITCH GAUGE GIVEN BELOW
1 steel crochet hook No. 0
8 buttons
1½ yds 1½ inch grosgrain ribbon

GAUGE: 4 sts = 1 inch 4 rows = 1 inch

NOTE: The back and fronts of this cardigan are worked vertically and it is very important to obtain the ROW GAUGE as given above.

STRIPING PATTERN: Work in K 1, P 1 ribbing as follows: * 6(8–8) rows Color A, 6(8–8) rows Color B, 6(8–8) rows M C, repeat from * for striping pattern.

LEFT BACK AND LEFT FRONT: Using No. 5 needles and M C and starting at cuff, cast on 36(40–44) sts. K 1, P 1 in ribbing for 3½ inches, inc at even intervals to 48(52–56) sts on last row. Change to No. 10½ needles and K 1, P 1 in ribbing for 3(2–6) rows. Join Color A and work in striping pattern for 6(3–1) rows. On the next row inc 1 st each end of needle and repeat this inc every 3rd row 2(4–4) times more. SHAPE SLEEVES: Inc 1 st each end of needle every other row 16 times and EVERY ROW 12 times. At the beg of each of the next 2 rows cast on 10 sts. Work even on 130 (138–142) sts until piece measures 20(21–22) inches above cuff, ending with 5 rows Color A (2 rows Color B — 2 rows Color B). Put a marker in work to mark end of left front and left back. BACK: Work 65(69–71) sts; slip remaining sts onto holder for left front. Work even on back until piece measures 5 inches above marker in work, ending with 1 row Color B (6 rows Color A — 6 rows Color A). Put another marker in work to mark start of right front and right back. Sl sts onto holder. LEFT FRONT: Sl 65(69–71) sts of left front onto needle. SHAPE NECK: Join yarn at neck edge. Continuing in striping pattern, at neck edge bind off 7 sts once and dec 1 st at same edge every other row 3 times. SHAPE FRONT BAND: At neck edge cast on 16 sts and at lower edge cast on 14 sts. Work even on 85(89–91) sts until there are 8(10–10) rows M C. Bind off.

RIGHT FRONT AND RIGHT BACK: Using No. 10½ needles and M C, cast on 85(89–91) sts. K 1, P 1 in ribbing for 3 rows. BUTTONHOLES: Work 2(5–2) sts, * bind off the next 3 sts, work until there are 8(8–9) sts after bound off sts, repeat from * 6 times more, bind off the next 3 sts, work last 3(4–2) sts. On the next row cast on 3 sts over each

(Continued on page 45)

Style No. 5890

Shown at right

These directions are for size 8. Changes for sizes 10 and 12 are in parentheses.

MATERIALS

BERNAT Cuddlespun (2 oz. skeins) — 3(3–4) Gun Metal (M C); 2(2–3) Cognac (Color A); 2(3–3) Beige (Color B)
1 pair each straight knitting needles Nos. 5 and 10½ OR ANY SIZE NEEDLES WHICH WILL GIVE THE STITCH GAUGE GIVEN BELOW
1 steel crochet hook No. 0
8 buttons
1 yd 1½ inch grosgrain ribbon

GAUGE: 4 sts = 1 inch 4 rows = 1 inch

NOTE: The back and fronts of this cardigan are worked vertically and it is very important to obtain the ROW GAUGE as given above.

STRIPING PATTERN: Work in K 1, P 1 ribbing as follows: * 6 rows Color A, 6 rows Color B, 6 rows M C, repeat from * for striping pattern.

LEFT BACK AND LEFT FRONT: Using No. 5 needles and M C, cast on 34(36–40) sts. K 1, P 1 in ribbing for 2½(3–3) inches, inc at even intervals to 42(44–48) sts across last row. Change to No. 10½ needles and K 1, P 1 in ribbing for 2(2–5) rows. Join Color A and work in striping pattern for 9(5–4) rows. On the next row inc 1 st each end of needle and repeat this inc every 3rd row 2(3–3) times more. Then inc 1 st each end of needle every other row 12 times, and EVERY ROW 8 times. At the beg of each of the next 2 rows cast on 8 sts. Work even on 104(108–112) sts until piece measures 15½(15½–16¼) inches above cuff, ending with 6 rows Color A. Put a marker in work to mark end of left front and left back. BACK: Work 52(54–56) sts; slip remaining sts onto holder for left front. Work even on back until piece measures 4½ inches above marker in work, ending with 6 rows Color A. Put another marker in work to mark start of right front and right back. Sl sts onto holder. LEFT FRONT: Sl 52(54–56) sts of left front onto needle. SHAPE NECK: Join yarn at neck edge. Continuing in striping pattern, at neck edge bind off 5 sts once and dec 1 st at same edge every other row 3 times. SHAPE FRONT BAND: At the beg of each of the next 2 rows cast on 12 sts. Work even on 68(70–72) sts until 8 rows M C are completed. Bind off.

RIGHT FRONT AND RIGHT BACK: Using No. 10½ needles and M C, cast on 68(70–72) sts. K 1, P 1 in ribbing for 3 rows. BUTTONHOLES: Work 4(2–3) sts, * bind off the next 3 sts, work until there are 5(6–6) sts after bound off sts, repeat from * 6 times more, bind off the next 3 sts, work last 5 (2–3) sts. On the next row cast on 3 sts over each

(Continued on page 45)

Style No. 5905

Shown at left

These directions are for size 6. Changes for sizes 8, 10 and 12 are in parentheses.

MATERIALS

BERNAT Cuddlespun (2 oz. skeins) — 4(4–5–5) Main Color (M C); 2 Contrasting Color (C C)
1 pair each straight knitting needles Nos. 6 and 10 OR ANY SIZE NEEDLES WHICH WILL GIVE THE STITCH GAUGE GIVEN BELOW
8 buttons

GAUGE: 7 sts = 2 inches 6 rows = 1 inch

PATTERN STITCH: Multiple of 4 sts plus 2.
Row 1: K 2, * P 2, K 2, repeat from * across row.
Rows 2 and 3: P 2, * K 2, P 2, repeat from * across row.
Row 4: Repeat Row 1.
Repeat these 4 rows for pattern stitch.

STRIPING PATTERN: Work in pattern st as follows: * 2 rows C C, 4 rows M C, repeat from * for striping pattern.

BACK: Using No. 6 needles and M C, cast on 42(42–46–46) sts. K 1, P 1 in ribbing for 2½ inches. Change to No. 10 needles and work in pattern st for 2 rows. Join C C and work in striping pattern, inc 1 st each end of needle every 1 inch 2(4–3–4) times, forming new patterns as sts are increased. Work even on 46(50–52–54) sts until piece measures 8(9–9½–10) inches. SHAPE ARMHOLES: At the beg of each of the next 2 rows bind off 2(3–3–3) sts. Dec 1 st each end of needle every other row twice. Work even on 38(40–42–44) sts until armholes measure 5½(6–6½–7) inches. SHAPE SHOULDERS: At the beg of each of the next 4 rows bind off 4 sts. At the beg of each of the next 2 rows bind off 4(5–5–6) sts. Bind off remaining 14(14–16–16) sts.

LEFT FRONT: Using No. 6 needles and M C, cast on 24 (24–28–28) sts. Row 1: K 1, P 1 in ribbing to last 6 sts; work 6 sts in pattern st (front band). Row 2: Work in pattern st for 6 sts, K 1, P 1 in ribbing to end of row. Repeat these 2 rows until piece measures 2½ inches, ending with Row 2. Change to No. 10 needles and work in pattern st to last 6 sts, put these 6 sts on a holder to be worked later for front band. Work 1 row more on 18(18–22–22) sts. Join C C and work in striping pattern, inc 1 st at arm edge every 1 inch 2(4–3–4) times, forming new patterns as sts are increased. Work even on 20(22–25–26) sts until piece measures 8(9–9½–10) inches, ending with same row of striping pattern as on back at underarm. SHAPE ARMHOLE: At arm edge bind off 2(3–3–3) sts. Dec. 1 st at same edge every other row twice. Work even on 16(17–20–21) sts until armhole measures 4(4½–5–5½) inches. SHAPE NECK: At front edge bind off 2(2–4–4) sts. Dec 1

(Continued on page 43)

Style No. 586

Shown at right

These directions are for size 12. Changes for sizes 14, 16 and 18 are in parentheses.

MATERIALS

BERNAT Cuddlespun (2 oz. skeins) — 8(8–9–9) Main Color (M C); 3(3–4–4) Contrasting Color (C C)
1 pair each straight knitting needles Nos. 6 and 10 OR ANY SIZE NEEDLES WHICH WILL GIVE THE STITCH GAUGE GIVEN BELOW
10 buttons

GAUGE: 7 sts = 2 inches 6 rows = 1 inch

PATTERN STITCH: Multiple of 4 sts plus 2.
Row 1: K 2, * P 2, K 2, repeat from * across row.
Rows 2 and 3: P 2, * K 2, P 2, repeat from * across row.
Row 4: Repeat Row 1.
Repeat these 4 rows for pattern stitch.

STRIPING PATTERN: Work in pattern st as follows: * 2 rows C C, 4 rows M C. Repeat from * for striping pattern.

BACK: Using No. 6 needles and M C, cast on 58(62–66–70) sts. K 1, P 1 in ribbing for 3 inches. Change to No. 10 needles and work in pattern st for 2 rows. Join C C and work in striping pattern, inc 1 st each end of needle every 2 inches 3 times, forming new patterns as sts are increased. Work even on 64(68–72–76) sts until piece measures 11 (11–11½–11½) inches. SHAPE ARMHOLES: At the beg of each of the next 2 rows bind off 5(5–6–6) sts. Dec 1 st each end of needle every other row 3(4–4–5) times. Work even on 48(50–52–54) sts until armholes measure 7¾(8–8¼–8½) inches. SHAPE SHOULDERS: At the beg of each of the next 4 rows bind off 5(6–6–6) sts. At the beg of each of the next 2 rows bind off 6(5–5–6) sts. Bind off remaining 16(16–18–18) sts.

LEFT FRONT: Using No.6 needles and M C, cast on 32 (32–36–36) sts. Row 1: K 1, P 1 in ribbing to last 6 sts, work 6 sts in pattern st (front band). Row 2: Work in pattern st for 6 sts, K 1, P 1 in ribbing to end of row. Repeat these 2 rows until piece measures 3 inches, ending with Row 2. Change to No. 10 needles and work in pattern st to last 6 sts; sl these 6 sts onto a holder to be worked later for front band. Work 1 row more in pattern st on 26(26–30–30) sts. Join C C and work in striping pattern, inc 1 st at arm edge every 2(1–2–1) inches 3(5–3–5) times, forming new patterns as sts are increased. Work even on 29(31–33–35) sts until piece measures 11(11–11½–11½) inches, ending with same row of striping pattern as on back at underarm. SHAPE ARMHOLE: At arm edge bind off 5(5–6–6) sts. Dec 1 st at same edge every other row 3(4–4–5) times. Work even on 21(22–23–24) sts until armhole measures 5¾(6–6¼–6½) inches. SHAPE NECK: At front edge bind off 2(2–3–3) sts. Dec 1 st at same edge

(Continued on page 43)

STYLE NO. 581 *(Continued from page 25)*

Repeat these 2 rows 4 times more. Do not break off yarn. On next row work all sts to same needle — 32 sts. Continue in pattern st, inc 1 st each end of needle every 3(2–2) inches 5(7–8) times. Work even on 42(46–48) sts until piece measures 17 inches. SHAPE CAP: At the beg of each of the next 2 rows bind off 4(4–5) sts. Dec 1 st each end of needle every 4th row 7(8–9) times. At the beg of each of the next 6 rows bind off 2 sts. Bind off remaining sts.

HIP BAND: Cast on 8 sts. P 1 row. Work even in pattern st until piece measures 1 inch less than desired length, allowing 2 inches for stretching and ending with a P row. BUTTONHOLE: Work back and forth for 5 rows on first 4 sts ONLY. Break off and sl sts onto a holder. Join yarn at centre and work 5 rows on last 4 sts. Do not break off yarn. On next row P all sts to same needle. Continue in pattern st, dec 1 st each end of needle every 2nd row 3 times. K 2 tog. Fasten off.

NECKBAND: Cast on 5 sts. P 1 row. Work in pattern st for 13(13–13½) inches, ending with a P row. BUTTONHOLE: K 2, bind off 1 st, K 1. Work 4 more rows on last 2 sts. Join separate strand of yarn at centre and work 4 rows on first 2 sts. Break off. On next row P all sts to one needle, casting on 1 st at centre. Continue in pattern st, dec 1 st each end of needle every other row twice. Fasten off.

CUFF BAND: Make 2. Work in same manner as neckband until piece measures 7 inches, ending with a P row. Form buttonhole and finish in same manner as for neckband.

FINISHING: Sew underarm, shoulder and sleeve seams. Set in sleeves. With right side facing you, work 1 row s c around sleeve openings, on front edges and around all edges of hip, neck and cuff bands. Block, stretching hip band 2 inches and neck and cuff bands ½ inch in length. Sew bands in place. Face fronts, hip and neck bands with ribbon. Finish buttonholes. Sew on buttons.

STYLE NO. 557 *(Continued from page 25)*

st, work to end of row. On the next row cast on 1 st over st bound off previous row. Make 7 more buttonholes, evenly spaced — the last one to be made ¼ inch below start of neck shaping.

FINISHING: Sew shoulder seams. CUFFS: Using C C, with right side facing you, pick up 60(60–64–64) sts on lower edge of sleeve. K 1, P 1 in ribbing for 5 rows. Bind off. Sew underarm seams. Sew front bands in place. NECKBAND: Using C C, with right side facing you pick up 59(59–61–61) sts around neck, including sts from holders. K 1, P 1 in ribbing for 5 rows. Bind off. STRIPES: Using C C, work a sl st over each P st on each front. Block. Sew on buttons.

STYLE NO. 610 *(Continued from page 35)*

RIGHT FRONT AND RIGHT FRONT BAND: Work to correspond to left front and left front band, reversing ribbing and all shaping and forming first buttonhole when piece measures 1 inch. BUTTONHOLE: Starting at front edge, K 1, P 1, y o, P 2 tog, work to end of row. Make 9 more buttonholes, evenly spaced — the last one to be made 2 rows below start of neck shaping.

SLEEVES: Using No. 8 needles and M C, cast on 23(25–27–29) sts. K 1, P 1 in ribbing for 3 inches. K 1 row. Change to No. 10½ needles and work in pattern st, inc 1 st each end of needle every 1½ inches 8 times. Work even on 39 (41–43–45) sts until piece measures 18(18–18½–18½) inches. SHAPE CAP: At the beg of each of the next 2 rows bind off 4 sts. Dec 1 st each end of needle every other row 0(1–2–3) times and every 4th row 7 times. At the beg of each of the next 6 rows bind off 2 sts. Bind off remaining sts.

FINISHING: Sew underarm, shoulder and sleeve seams. Set in sleeves. Sew front bands in place. Using M C, with right side facing you, work 1 row s c on neck edge, holding in to desired size. Using M C, with right side facing you, work 1 row s c around front and neck edges. Finish buttonholes. Sew on buttons. Steam seams lightly.

STYLE NO. 616 *(Continued from page 37)*

RIGHT FRONT AND RIGHT FRONT BAND: Work to correspond to left front and left front band, reversing all shaping and forming first buttonhole when piece measures ½ inch. BUTTONHOLE: Starting at front edge, work 3 sts, bind off the next 2 sts, work to end of row. On next row cast on 2 sts over those bound off previous row. Make 6 more buttonholes, evenly spaced — the last one to be made 2 rows below start of neck shaping.

COLLAR: Using No. 7 needles, cast on 42(44–46–46) sts. Work in stockinette st for 8 rows ending with a P row. P the next 2 rows to form hemline and continue in stockinette st for 8 rows. Bind off.

FINISHING: Sew shoulder seams. CUFFS: Using No. 7 needles, with right side facing you pick up 38(38–40–40) sts across lower sleeve edge. K 1, P 1 in ribbing for 2½ inches. Bind off in ribbing. Sew underarm and sleeve seams. Sew front bands in place. With right side facing you, work 1 row s c around front and neck edges, holding in neck to desired size. Fold collar on hemline and sew to neck edge to within ¾ inch of each front edge. With right side facing you, work 1 row s c around collar. Steam seams lightly. Face fronts with ribbon. Finish buttonholes. Sew on buttons. Make 14 small bows of satin ribbon and trim as shown in photograph.

STYLE NO. 5905 *(Continued from page 41)*

st at neck edge every other row 2(2–3–3) times. Work even on 12(13–13–14) sts until armhole measures 5½(6–6½–7) inches. SHAPE SHOULDER: At arm edge bind off 4 sts twice and 4(5–5–6) sts once. LEFT FRONT BAND: Sl 6 sts from holder onto No. 6 needle. Join M C and continue in pattern st until piece is same length as front to start of neck shaping. Bind off.

RIGHT FRONT AND RIGHT FRONT BAND: Work to correspond to left front and left front band, reversing all shaping and forming first buttonhole when piece measures ½ inch. BUTTONHOLE: Starting at front edge, work 2 sts, bind off the next 2 sts, work to end of row. On next row cast on 2 sts over those bound off previous row. Make 7 more buttonholes, evenly spaced — the last one to be made ½ inch below start of neck shaping.

SLEEVES: Using No. 6 needles and M C, cast on 30(30–34–34) sts. K 1, P 1 in ribbing for 2¾(2¾–2¾–3) inches. Change to No. 10 needles and work 2 rows in pattern st. Join C C and work in striping pattern, inc 1 st each end of needle every 2 inches 3(4–3–4) times, forming new patterns as sts are increased. Work even on 36(38–40–42) sts until piece measures 11½(12½–13½–15) inches, ending with same row of striping pattern as on back at underarm. SHAPE CAP: At the beg of each of the next 2 rows bind off 2(3–3–3) sts. Dec 1 st each end of needle every other row for 2½(3–3½–4) inches. At the beg of each of the next 4 rows bind off 2 sts. Bind off remaining sts.

COLLAR: Using No. 10 needles and M C, cast on 46(46–50–50) sts. Work in pattern st for 4 rows. On next row continuing in pattern st, work 4 sts, join C C and work to last 4 sts, join another ball of M C and work last 4 sts. Keeping 4 sts each end of needle in M C and centre 38 (38–42–42) sts in striping pattern, work even until there are 3 C C stripes. Break off C C. Using M C, work 5 rows in pattern st. Bind off in pattern st.

FINISHING: Sew underarm, shoulder and sleeve seams. Set in sleeves. Sew front bands in place. Sew coat on edge of collar to neck edge to within ¾ inch of each front edge. Finish buttonholes. Steam seams lightly. Sew on buttons.

STYLE NO. 586 *(Continued from page 41)*

every other row 3 times. Work even on 16(17–17–18) sts until armhole measures 7¾(8–8¼–8½) inches. SHAPE SHOULDER: At arm edge bind off 5(6–6–6) sts twice and 6(5–5–6) sts once. LEFT FRONT BAND: Sl 6 sts from holder onto No. 6 needle. Join M C and continue in pattern st until piece is same length as front to start of neck shaping. Bind off.

RIGHT FRONT AND RIGHT FRONT BAND: Work to correspond to left front and left front band, reversing all shaping and forming first buttonhole when piece measures ½(½–1–1) inch. BUTTONHOLE: Starting at front edge, work 2 sts, bind off the next 2 sts, work to end of row. On next row cast on 2 sts over those bound off previous row. Make 9 more buttonholes, evenly spaced — the last one to be made ½ inch below start of neck shaping.

SLEEVES: Using No. 6 needles and M C, cast on 38(38–42–42) sts. K 1, P 1 in ribbing for 3 inches. Change to No. 10 needles and work in pattern st for 2 rows. Join C C and work in striping pattern, inc 1 st each end of needle every 2 inches 4(5–4–5) times, forming new patterns as sts are increased. Work even on 46(48–50–52) sts until piece measures 18(18–18½–18½) inches, ending with same row of striping pattern as on back at underarm. SHAPE CAP: At the beg of each of the next 2 rows bind off 5(5–6–6) sts. Dec 1 st each end of needle every 4th row for 4¾(5–5¼–5½) inches. At the beg of each of the next 6 rows bind off 2 sts. Bind off remaining sts.

COLLAR: Using No. 10 needles and M C, cast on 66(66–70–70) sts. Work even in pattern st for 4 rows. On next row continuing in pattern as established, work 4 sts, join C C and work to last 4 sts; join another ball of M C and work last 4 sts. Keeping 4 sts each end of needle in M C and centre 58(58–62–62) sts in striping pattern, work even until there are 4 C C stripes. Break off C C. Using M C, work 5 rows more in pattern st. Bind off in pattern st.

FINISHING: Sew underarm, shoulder and sleeve seams. Set in sleeves. Sew front bands in place. Sew cast on edge of collar to neck edge to within ¾ inch of each front edge. Steam seams lightly. Sew on buttons.

STYLE NO. 5907 *(Continued from page 37)*

RIGHT FRONT AND RIGHT FRONT BAND: Work to correspond to left front and left front band, reversing all shaping and forming first buttonhole when piece measures ½ inch. BUTTONHOLE: Starting at front edge, work 3 sts, bind off the next 2 sts, work to end of row. On next row cast on 2 sts over those bound off previous row. Make 5 more buttonholes, evenly spaced — the last one to be made ¼ inch below start of neck shaping.

COLLAR: Using No. 7 needles, cast on 36(36–36–38) sts. Work even in stockinette st for 8 rows, ending with a P row. P the next 2 rows to form hemline and continue in stockinette st for 8 rows. Bind off.

FINISHING: Sew shoulder seams. CUFFS: Using No. 7 needles, with right side facing you pick up 30(30–32–34) sts across lower sleeve edge. K 1, P 1 in ribbing for 2 inches. Bind off in ribbing. Sew underarm and sleeve seams. Sew front bands in place. With right side facing you, work 1 row s c around front and neck edges, holding neck in to desired size. Fold collar on hemline and sew to neck edge to within ¾ inch of each front edge. With right side facing you, work 1 row s c around collar. Steam seams lightly. Face fronts with ribbon. Finish buttonholes. Sew on buttons. Make 14 small bows of satin ribbon and trim as shown in photograph.

STYLE NO. 613 *(Continued from page 34)*

BACK: Using M C, cast on 39(45–51–57) sts. Work even in seed st for 3 rows. Work in pattern st, inc 1 st each end of needle every 4th row 7(8–9–9) times and every other row 5(3–1–0) times, forming new patterns as sts are increased. Work even on 63(67–71–75) sts until piece measures 9(9–9½–9½) inches. SHAPE ARMHOLES: At the beg of each of the next 2 rows bind off 5 sts. Dec 1 st each end of needle every other row 3(4–4–5) times. Work even on 47(49–53–55) sts until armholes measure 7½(7¾–8–8¼) inches. SHAPE SHOULDERS: At the beg of each of the next 2 rows bind off 8(8–9–9) sts. At the beg of each of the next 2 rows bind off 7(8–8–9) sts. Bind off remaining 17(17–19–19) sts.

LEFT FRONT: Using M C, cast on 27(27–27–29) sts. Work even in seed st for 3 rows. On the next row work 6(6–6–8) sts in seed st, put a marker on needle, work Row 1 of pattern st on remaining 21 sts. Keeping 6(6–6–8) sts at front edge in seed st and remaining sts in pattern st, inc 1 st at arm edge every 4th row 6(8–10–10) times, forming new patterns as sts are increased. Work even on 33(35–37–39) sts until piece measures 9(9–9½–9½) inches, ending with same row of pattern st as on back at underarm. SHAPE ARMHOLE: At arm edge bind off 5 sts. Dec 1 st at same edge every other row 2(3–3–4) times. Work even on 26(27–29–30) sts until armhole measures 6(6¼–6½–6¾) inches. SHAPE NECK: At front edge bind off 8(8–9–9) sts. Dec 1 st at same edge every other row 3 times. Work even on 15(16–17–18) sts until armhole measures 7½(7¾–8–8¼) inches. SHAPE SHOULDER: At arm edge bind off 8(8–9–9) sts once and 7(8–8–9) sts once.

RIGHT FRONT: Work to correspond to left front, reversing all shaping and placing of pattern st and forming first buttonhole when piece measures 1 inch. BUTTONHOLE: Starting at front edge, work 3 sts, bind off next 2 sts, work to end of row. On next row cast on 2 sts over those bound off previous row. Make 4 more buttonholes evenly spaced — the last one to be made ½ inch below start of neck shaping.

SLEEVES: Using M C, cast on 33(33–33–39) sts. Work even in seed st for 3 rows. Work in pattern st, inc 1 st each end of needle every 10th(8th–8th–10th) row 5(6–7–5) times. Work even on 43(45–47–49) sts until piece measures 13 (13–13½–13½) inches, ending with same row of pattern st as on back at underarm. SHAPE CAP: At the beg of each of the next 2 rows bind off 5 sts. Dec 1 st each end of needle 4th row twice and every other row 7(8–9–10) times. At the beg of each of the next 4 rows bind off 2 sts. Bind off remaining sts.

COLLAR: Using M C, cast on 51(53–55–57) sts. Work even in seed st until piece measures 3 inches. Bind off.

FINISHING: Sew underarm, shoulder and sleeve seams. Set in sleeves. Sew collar to neck edge to within 1 inch of each front edge. Finish buttonholes. Sew on buttons. Steam seams lightly.

STYLE NO. 609 *(Continued from page 34)*

4th row 5(7–8) times more. Work even on 12(14–15) sts until armhole measures 7½(8–8½) inches. SHAPE SHOULDER: At arm edge bind off 6(7–7) sts once and 6(7–8) sts once. LEFT FRONT BAND: Sl 6 sts from holder to needle. Join yarn and continue in ribbing until piece is same length as front to start of neck shaping. Sl sts onto a holder.

RIGHT FRONT AND RIGHT FRONT BAND: Work to correspond to left front and left front band, reversing placing of band and all shaping and forming first buttonhole when piece measures 2 inches. BUTTONHOLE: Starting at front edge, work 2 sts, bind off the next 2 sts, work to end of row. On next row cast on 2 sts over those bound off previous row. Make 4 more buttonholes, evenly spaced — the last one to be made ½ inch below start of neck shaping.

SLEEVES: Cast on 26(26–30) sts. K 2, P 2 in ribbing for 2½ inches. Work in pattern st, inc 1 st each end of needle every 2 inches 6(7–7) times, forming new patterns as sts are increased. Work even on 38(40–44) sts until piece measures 18(18–18½) inches, ending with same row of pattern st as on back at underarm. SHAPE CAP: At the beg of each of the next 2 rows bind off 5 sts. Dec 1 st each end of needle every other row 1(2–4) times and every 4th row 5 times. At the beg of each of the next 4 rows bind off 2 sts. Bind off remaining sts.

POCKETS: Make 2. Cast on 14 sts. P 2, K 2 in ribbing for 9 rows. Work even in pattern st for 16 rows. Bind off.

FINISHING: Sew underarm, shoulder and sleeve seams. Set in sleeves. Sew front bands in place. COLLAR: RIGHT HALF: With wrong side facing you, sl 6 sts of right front band onto left hand needle. Starting at inner edge, join yarn and P 2, K 2, P 2. On next row work row 1 of pattern st, inc 1 st at end of needle (inner edge) and repeat this inc every 4th row until there are 20 sts on needle. Continue in pattern st until piece is long enough to fit around neck edge to centre back. Bind off. Make left half of collar to correspond to right half, reversing all shaping. Sew collar halves to neck edge and seam at centre back. With right side facing you, work 1 row s c on outer edge of collar and on front edges. Sew pockets in place starting 14 sts from each front edge. Finish buttonholes. Sew on buttons. Steam seams lightly.

STYLE NO. 3906 *(Continued from page 27)*

row 7(8–8–9) times more. Work even on 52(54–56–58) sts until piece measures 13(13–13½–13½) inches. SHAPE CAP: At the beg of each of the next 2 rows bind off 4 sts. Dec 1 st each end of needle every 4th row once and every other row 12(13–14–15) times. At the beg of each of the next 6 rows bind off 2 sts. Bind off remaining sts.

LEFT FRONT FACING: Using M C, cast on 5 sts. Working in stockinette st, at the beg of next K row (front edge) inc 1 st and repeat this inc EVERY ROW 7(7–9–9) times more. Inc 1 st at same edge every other row 6 times and every 16th row twice. Work even on 21(21–23–23) sts until piece measures 11(11¼–12–12¼) inches. SHAPE NECK: At neck edge bind off 11(11–12–12) sts. Dec 1 st at same edge EVERY ROW 7 times. Bind off remaining 3(3–4–4) sts.

RIGHT FRONT FACING: Work to correspond to left front facing, reversing all shaping and forming first buttonhole in same manner as on right front when piece measures 2¼(2¼–2½–2½) inches.

COLLAR: Using C C, cast on 66(68–70–72) sts. K 1, P 1 in ribbing, inc 1 st each end of needle every 4th row twice. Work even on 70(72–74–76) sts until piece measures 2 inches. Bind off.

CUFFS: Make 2. Using C C, cast on 40(42–44–46) sts. K 1, P 1 in ribbing for 2 rows. DIVIDE WORK: Work 14(15–16–17) sts; join another ball of yarn, work last 26(27–28–29) sts. Working on both sides at once, inc 1 st at each inner edge every 4th row twice. Work even until piece measures 2 inches. Bind off.

FINISHING: Sew underarm, shoulder, sleeve and cuff seams. Set in sleeves. Sew facing to front edge from lower edge to end of bound off sts at neck. Using M C, work 1 row s c along lower edge. Using C C, work 1 row s c along slits on cuffs and narrow ends of collar. Sew cuffs to sleeves. Sew cast on edge of collar to neck edge to within 2½(2½–2¾–2¾) inches of each front edge. Hem facing along collar and inner edge. Finish buttonhole. Sew on button. Steam seams lightly.

STYLE NO. 590 *(Continued from page 39)*

group of bound off sts previous row. Work even for 2(4–4) rows more. SHAPE FRONT BAND: On the next row at neck edge bind off 16 sts, work to end of row. At the beg of next row bind off 14 sts; join Color A, work to end of row. SHAPE NECK: Continuing striping pattern, on the next row at neck edge inc 1 st and repeat this inc every other row twice more. On the next row at neck edge cast on 7 sts once and end at lower edge. 1 row Color B (6 rows Color A — 6 rows Color A) have been completed. On the next row work 65(69–71) sts and work 65(69–71) sts from holder onto same needle — 130(138–142) sts. Work even for 5(5½–6)

(Continued next column)

STYLE NO. 590 *(Continued)*

inches, ending with 3 rows Color B (4 rows Color A — 6 rows Color A). SHAPE SLEEVES: At the beg of each of the next 2 rows bind off 10 sts. Dec 1 st each end of needle EVERY ROW 12 times, every other row 16 times, every 3rd row 3(5–5) times. Work even on 48(52–56) sts until piece measures 20(21–22) inches above second marker in work, ending with 2(1–5) rows M C. On the next row dec at even intervals to 36(40–44) sts. Change to No. 5 needles. K 1, P 1 in ribbing for 3½ inches. Bind off.

COLLAR: Using No. 5 needles and M C, cast on 69(71–73) sts. K 1, P 1 in ribbing for 4 inches. Bind off loosely.

FINISHING: Sew underarm seams. LOWER BAND: Using No. 5 needles and M C, starting at left front border, pick up 103(107–111) sts along lower edge. K 1, P 1 in ribbing for 3½ inches. Bind off loosely. Sew collar to neck edge. Sew lower band to front band. Using M C, work 1 row s c around front bands and collar. Face fronts with ribbon. Finish buttonholes. Sew on buttons. Steam seams lightly.

STYLE NO. 5890 *(Continued from page 39)*

group of sts bound off previous row. Work even for 2 rows more. SHAPE FRONT BAND: On the next row at neck edge bind off 12 sts, work to end of row. At the beg of next row bind off 12 sts, join Color A, work to last st, inc 1 st in last st. SHAPE NECK: Continuing in striping pattern, on the next row at neck edge inc 1 st and repeat this inc every other row twice more. At neck edge cast on 5 sts once and end at lower edge — 6 rows Color A have been completed. On the next row work 52(54–56) sts and work 52(54–56) sts from holder onto same needle — 104(108–112) sts. Work even for 2½(2¾–3) inches, ending with 5 rows M C (6 rows M C — 1 row Color A). SHAPE SLEEVES: At the beg of each of the next 2 rows bind off 8 sts. Dec 1 st each end of needle EVERY ROW 8 times, every other row 12 times, every 3rd row 3(4–4) times. Work even on 42(44–48) sts until piece measures 15½(15½–16¼) inches above second marker in work, ending with 1(1–4) rows M C. On the next row dec at even intervals to 34(36–40) sts. Change to No. 5 needles. K 1, P 1 in ribbing for 2½(3–3) inches. Bind off.

COLLAR: Using No. 5 needles and M C, cast on 59 (61–63) sts. K 1, P 1 in ribbing for 3 inches. Bind off loosely.

FINISHING: Sew underarm seams. LOWER BAND: Using No. 5 needles and M C, starting at left front band, pick up 87(91–95) sts along lower edge. K 1, P 1 in ribbing for 3 inches. Bind off loosely. Sew collar to neck edge. Sew lower band to front band. Using M C, work 1 row s c around front band and collar. Face fronts with ribbon. Finish buttonholes. Sew on buttons. Steam seams lightly.

STYLE NO. 602 *(Continued from page 31)*

CABLE PATTERN: To be made on 14 sts as designated.
Row 1: P 1, K 12, P 1.
Row 2 and all even rows: K 1, P 12, K 1.
Row 3: P 1, sl next 3 sts onto d p needle and hold in back of work, K next 3 sts, K 3 sts from d p needle, sl next 3 sts onto d p needle and hold in front of work, K next 3 sts, K 3 sts from d p needle, P 1.
Rows 5, 7 and 9: Repeat Row 1.
Row 10: Repeat Row 2.
Repeat these 10 rows for cable pattern.

SLEEVES: Cast on 32(34–34–34) sts. Row 1: K 2(3–3–3), sl 2, K 3, sl 2, put a marker on needle, work Row 1 of cable pattern on next 14 sts, put a marker on needle, sl 2, K 3, sl 2, K 2(3–3–3). Row 2: P to first marker, work Row 2 of cable pattern on next 14 sts, P to end of row. Keeping the 14 sts between markers in cable pattern and remaining sts in pattern as established, inc 1 st each end of needle every 1 inch 11(11–12–13) times, forming new patterns as sts are increased. Work even on 54(56–58–60) sts until piece measures 17½(17½–18–18) inches. SHAPE CAP: At the beg of each of the next 2 rows bind off 5(5–6–6) sts. Dec 1 st each end of needle every other row 12(13–12–13) times and every 4th row 3(3–4–4) times. Continue in cable pattern on remaining 14 sts for 4½(4¾–5–5¼) inches more. Bind off.

FINISHING: Sew top of sleeve cap to back and front shoulders. Set in sleeves. Sew underarm and sleeve seams. With right side facing you, work 2 rows s c around lower and neck edges holding neck into desired size and 1 row s c on each front edge. With right side facing you, work 2 rows s c on lower edge of sleeves. Face fronts with ribbon. Finish buttonholes. Sew on buttons. Steam seams lightly.

STYLE NO. 3866 *(Continued from page 33)*

FINISHING: Using 1 strand each of Colors A and B, work 1 row s c on each short edge of metal stripes to even out edges. Using M C, with right side facing you, work 1 row s c around all edges. LOOP FRINGE: * Hold yarn over index finger, about 1¼ inches above hook, insert hook in next s c and draw yarn through from under finger (1 loop made), drop loop from finger, letting it fall on right side of work and complete s c, repeat from * around. Block.

STYLE NO. 3903 *(Continued from page 31)*

Continue in pattern as established until piece measures 1½ inches, ending with a wrong side row. FIRST DEC ROW: On next row dec 1 st in first P panel and every other P panel alternately across row — 4 sts dec. Work even for 1½ inches, ending with a wrong side row. SECOND DEC ROW: Dec 1 st in second P panel and every other P panel alternately across row — 4 sts dec. Continue in this manner to dec 4 sts in alternating P panels every 1½ inches 4 times more. Work even in new pattern on 38 sts until piece measures 10½ inches. Bind off.

COLLAR: Cast on 50 sts. Work even in garter st for 2½ inches. At the beg of each of the next 2 rows bind off 2 sts. Dec 1 st each end of needle every other row twice. Bind off remaining 42 sts.

FINISHING: Sew sleeves to back and fronts, gathering extra fullness at top. Sew cast on edge of collar to within ¾ inch of each front edge. With right side facing you, work 1 row s c on front and collar edges, making a button loop at right front neck edge. CORD: Make a ch 50 inches long. Work 1 sl st in BACK LOOP of 2nd st from hook and each st to end of ch. Fasten off. Steam seams lightly. Sew cord to centre back of neck. Sew on button.

STYLE NO. 3905 *(Continued from page 29)*

underarm. SHAPE RAGLAN CAP: At the beg of each of the next 2 rows bind off 3 sts. Dec 1 st each end of needle every row 20(21–22) times. Fasten off.

BAND: Using No. 7 needles, cast on 9 sts. Row 1: K 1, * P 1, K 1, repeat from * across row. Row 2: P 1, * K 1, P 1, repeat from * across row. Repeat these 2 rows for ½ inch, ending with Row 2. BUTTONHOLE: K 1, P 1, K 1, y o, P 2 tog, work to end of row. Make 4 more buttonholes, evenly spaced — the last one to be made when piece is same length as front edge to start of neck shaping, measuring from lower right front edge. Continue in ribbing until piece is long enough to fit around entire jacket. Bind off.

FINISHING: Sew sleeves to back and front armholes. Sew underarm and sleeve seams. SECOND BAND: Using No. 7 needles, cast on 7 sts. Work in same manner as band until piece measures ½ inch, ending with Row 2. Form buttonhole in same manner as on band. Work 4 more buttonholes, spaced to correspond with buttonholes on band, ending with Row 1. Work 1 row even. At the beg of the next row dec 1 st and repeat this dec at same edge EVERY ROW 5 times more. Fasten off. Beg at lower edge sew this band over the 6 sts of 4th pattern stripe from lower right front edge. Beg at lower right front, sew band around front, neck and lower edges, easing in to fit neck shaping. Finish buttonholes on 2nd band, though y o's of pattern. Steam seams lightly. Sew on buttons.

STYLE NO. 612 *(Continued from page 29)*

RIGHT FRONT: Work to correspond to left front, reversing placing of front band and all shaping and forming first buttonhole when piece measures 1 inch. BUTTONHOLE: Starting at front edge, K 2, bind off the next 2 sts, work to end of row. On next row cast on 2 sts over those bound off previous row. Make 4 more buttonholes, evenly spaced — the last one to be made ½ inch below start of neck shaping.

SLEEVES: Using No. 6 needles, cast on 40(40–44–44) sts. K 2, P 2 in ribbing for 7 rows. P 1 row, inc 1 st each end of needle — 42(42–46–46) sts. Change to No. 10 needles and work in pattern st, inc 1 st each end of needle every 1½ inches 6(7–7–8) times, forming new patterns as sts are increased. Work even on 54(56–60–62) sts until piece measures 14(14–14½–14½) inches, ending with same row of pattern st as on back at underarm. SHAPE CAP: At the beg of each of the next 2 rows bind off 5 sts. Dec 1 st each end of needle every other row for 4¾(5–5¼–5½) inches. At the beg of each of the next 4 rows bind off 2 sts. Bind off remaining sts.

COLLAR: Using No. 10 needles, cast on 86(86–90–90) sts. Work even in pattern st for 2½ inches, ending with a wrong side row. At the beg of next row bind off 4 sts, work until there are 16 sts on needle, and sl these 16 sts onto holder to be worked later for left side of collar; bind off centre 40(40–44–44)sts; work to end of row. RIGHT SIDE: At the beg of the next row bind off 4 sts, work to end of row. Continue in pattern st, dec 1 st each end of needle every other row until 2 sts remain. Bind off. LEFT SIDE: Sl 16 sts from holder onto No. 10 needles and finish to correspond to right side.

FINISHING: Sew underarm, shoulder and sleeve seams. Set in sleeves. Sew cast on edge of collar to neck edge to within ¾ inch of each front edge. With right side facing you, work 1 row s c around collar. Steam seams lightly. Face fronts with ribbon. Finish buttonholes. Sew on buttons. CORD: Make a ch 44 inches long. Work 1 sl st in BACK LOOP of 2nd st from hook and every st to end of ch. Fasten off. Tack cord to centre back of neck.

STYLE NO. 558 *(Continued from page 23)*

RIGHT FRONT: Work to correspond to left front, reversing placing of front band and all shaping and forming first buttonhole when piece measures 1½ inches. BUTTONHOLE: Starting at front edge, K 2, bind off the next 2 sts, work to end of row. On next row cast on 2 sts over those bound off previous row. Make 7 more buttonholes, evenly spaced — the last one to be made ½ inch below start of neck shaping.

SLEEVES: Cast on 27(29–29–31) sts. K 7 rows. K the next row, inc at even intervals to 31(33–33–35) sts. P 1 row. Work in pattern st, inc 1 st each end of needle every 1½ inches 10(10–11–11) times. Work even on 51(53–55–57) sts until piece measures 18(18–18½–18½) inches. SHAPE CAP: At the beg of each of the next 2 rows bind off 5 sts. Dec 1 st each end of needle every other row 4(5–4–5) times and every 4th row 6(6–7–7) times. At the beg of each of the next 6 rows bind off 2 sts. Bind off remaining sts.

COLLAR: Starting at neck edge cast on 17(17–19–19) sts. Work in garter st, casting on 7 sts at the beg of each of the next 4 rows. Work even on 45(45–47–47) sts until piece measures 2 inches above last group of cast on sts. On next row inc 4 sts at even intervals and repeat this inc every 1 inch twice more. Work even on 57(57–59–59) sts until piece measures 5 inches above last group of cast on sts. Bind off.

FINISHING: Sew underarm, shoulder and sleeve seams. Set in sleeves. Sew on collar to within 3 sts of each neck edge. Steam seams lightly. Finish buttonholes. Sew on buttons.

STYLE NO. 3858 *(Continued from page 33)*

FINISHING: Sew side seams, matching rows. Seam collar at centre back and sew in place, holding in extra fullness. Using M C and Size I hook, with right side facing you, work 1 row s c around all edges. BORDER: Using C C and No. 0 hook, ch 23, turn. Row 1: Work 1 d c in 8th st from hook, * ch 2, skip 2 sts, 1 d c in next st, repeat from * to end of row, ch 6, turn. Row 2: 1 d c in 2nd d c, * ch 2, 1 d c in next d c, repeat from * across, ending ch 2, d c in last d c, ch 2, d c in 3rd st of turning ch, ch 6, turn. Repeat Row 2 until piece is long enough to fit around lower edge of cape and across front panels to front markers. Sew border in place over last 4 rows of back of cape and corresponding rows of fronts. Using C C and No. 0 hook, with right side facing you, work 1 s c in each s c around all edges and 5 s c in each corner, join with sl st to first s c. PICOT EDGE: * 1 s c in each of next 3 s c, ch 3, sl st in last s c, repeat from * around. Fasten off. Sew paillettes to border as shown in photograph. Gather front panels above border and fasten securely. Sew on snap fasteners for closing at border. Turn back collar and tack.

STYLE NO. 5906 *(Continued from page 35)*

BACK: Using No. 8 needles and M C, cast on 37(41–43–47) sts. K 1, P 1 in ribbing for 2 inches. K the next row. Change to No. 10½ needles and work in pattern st until piece measures 8(9–9½–10) inches. SHAPE ARMHOLES: At the beg of each of the next 2 rows bind off 2 sts. Dec 1 st each end of needle every other row twice. Work even on 29(33–35–39) sts until armholes measure 5½(6–6½–7) inches. SHAPE SHOULDERS: At the beg of each of the next 2 rows bind off 4(5–5–6) sts. At the beg of each of the next 2 rows bind off 4(5–6–6) sts. Bind off remaining 13 (13–13–15) sts.

LEFT FRONT: Using No. 8 needles and M C, cast on 22 (24–26–28) sts. P 1, K 1 in ribbing for 2 inches. On next row K to last 5(5–5–7) sts, sl last 5(5–5–7) sts onto a holder to be worked later for front band. Change to No. 10½ needles and work even in pattern st on 17(19–21–21) sts until piece measures 8(9–9½–10) inches. SHAPE ARMHOLE: At arm edge bind off 2 sts. Dec 1 st at same edge every other row twice. Work even on 13(15–17–17) sts until armhole measures 4(4½–5–5½) inches. SHAPE NECK: At front edge bind off 3(3–4–3) sts. Dec 1 st at neck edge every other row twice. Work even on 8(10–11–12) sts until armhole measures 5½(6–6½–7) inches. SHAPE SHOULDER: At arm edge bind off 4(5–5–6) sts once and 4(5–6–6) sts once. LEFT FRONT BAND: Sl 5(5–5–7) sts from holder onto No. 8 needle. Join M C and continue in ribbing until piece is same length as front to start of neck shaping. Bind off.

RIGHT FRONT AND RIGHT FRONT BAND: Work to correspond to left front and left front band, reversing all shaping and forming first buttonhole when piece measures ½ inch. BUTTONHOLE: Starting at front edge, work 2(2–2–3) sts, bind off the next st, work to end of row. On next row cast on 1 st over the st bound off previous row. Make 7 more buttonholes, evenly spaced — the last one to be made ¼ inch below start of neck shaping.

SLEEVES: Using No. 8 needles and M C, cast on 21(23–25–27) sts. K 1, P 1 in ribbing for 3 inches. K 1 row. Change to No. 10½ needles and work in pattern st, inc 1 st each end of needle every 1½ inches 4(4–5–5) times. Work even on 29(31–35–37) sts until piece measures 11½(12½–13½–15) inches. SHAPE CAP: At the beg of each of the next 2 rows bind off 2 sts. Dec 1 st each end of needle every other row 8(9–11–12) times. At the beg of each of the next 2 rows bind off 2 sts. Bind off remaining sts.

FINISHING: Sew underarm, shoulder and sleeve seams. Set in sleeves. Sew front bands in place. Using M C, with right side facing you work 1 row s c around neck edge, holding in to desired size. Using M C with right side facing you work 1 row s c around front and neck edges. Sew on buttons. Steam seams lightly.

STYLE NO. 545 *(Continued from page 11)*

LEFT FRONT: WAISTBAND: Cast on 32(34–36–38) sts. Work in pattern st for waistband for 8 rows, ending with Row 2. On the next row K, dec at even intervals to 27(29–31–33) sts. K 1 row. Work even in pattern st for back until piece measures 11(11–11½–11½) inches, ending with a wrong side row. SHAPE FULL-FASHIONED ARMHOLE: At the beg of next row bind off 2 sts. Then work as follows: Row 1: Work to last 2 sts, bring yarn to front of work, sl 1, throw yarn to back of work, K 1. Row 2: K 1, sl 1, K 1, psso, work in pattern st to end of row. Repeat these 2 rows 3(3–4–5) times more. Work even on 21(23–24–25) sts until armhole measures 6(6–6½–6½) inches, ending at front edge. SHAPE NECK: At front edge bind off 5 (6–6–6) sts. Dec 1 st at neck edge every other row 2(3–3–3) times. Work even on 14(14–15–16) sts until armhole measures 7½(7¾–8–8¼) inches. SHAPE SHOULDER: At arm edge bind off 5 sts twice and 4(4–5–6) sts once.

RIGHT FRONT: Work to correspond to right front, reversing all shaping. Decrease for full-fashioned armhole as follows: Row 1: (wrong side) K 1, bring yarn to front of work, sl 1, throw yarn to back of work, work in pattern st to end of row. Row 2: Work to last 3 sts, K 2 tog, K 1.

SLEEVES: Cast on 40(42–44–46) sts. Work even in pattern st for bands for 8 rows, ending with Row 2. K the next row, dec 1 st at end of needle — 39(41–43–45) sts. K the next row. Work in pattern st for back until piece measures 13 (13–13½–13½) inches, ending with Row 1. SHAPE FULL-FASHIONED CAP: At the beg of each of the next 2 rows bind off 2 sts. Then work as follows: Row 1: K 1, bring yarn to front of work, sl 1, work in pattern st to last 2 sts, bring yarn to front of work, sl 1, K 1. Row 2: K 1, sl 1, K 1, psso, work to last 3 sts, K 2 tog, K 1. Repeat these 2 rows 3(3–4–5) times more. Then dec 1 st each end of needle every 4th row 4 times. At the beg of each of the next 6 rows bind off 2 sts. Bind off remaining sts.

COLLAR: Cast on 82(82–84–84) sts. Work in pattern st for collar for 3½ inches. Bind off.

FINISHING: Sew underarm, shoulder and sleeve seams. Set in sleeves. RIGHT FRONT BAND: With right side facing you, pick up 78(78–80–80) sts on right front edge. Starting with Row 2, work 2 rows in pattern st for bands, ending at neck edge. BUTTONHOLES: On next row work 2(2–4–4) sts, * P 2 tog, y o, work in pattern st for 8 sts, repeat from * 6 times more, y o, P 2 tog, work last 4 sts in pattern st. Work even in pattern st for 2 rows more. Bind off. LEFT FRONT BAND: Work to correspond to right front band, omitting buttonholes. Sew on collar to within ½ inch of each front edge. With right side facing you, work 1 row s c around all edges of jacket, sleeves and collar. Steam seams and edges lightly. Sew on buttons.

CHECK YOUR STITCH GAUGE—SEE HINTS FOR BETTER KNITTING

PRINTED IN U.S.A.
RUMFORD PRESS
CONCORD, N. H.



SO SOFT • SO STRONG

BERNAT 50·50 YARNS

WHAT ARE YOU GOING TO MAKE? WHATEVER IT IS, IT WILL BE MUCH SOFTER, MUCH STRONGER, MUCH EASIER TO WASH AND DRY WITH ANY ONE OF THESE SEVEN 50/50 YARNS BY BERNAT.

- For fingering yarn use 50/50 MEADOWSPUN
- For baby yarn, use 50/50 NYLO BABY
- For sportsweight yarn, use 50/50 NYLO SPORTS
- For quick and easy knitting, use 50/50 NYLO GERMANTOWN (or 50/50 STARSPRAY, with gold or silver threads)
- For big, big Jumbos, use 50/50 CUDDLESPUN
- For knitting worsted, use 50/50 NYLO KNITTING WORSTED

Bernat 50/50 Yarns: 50% virgin wool worsted for soft comfort, 50% Nylon for strength and easy care. All in master dyed Bernat washable colors — the most beautiful colors known to yarn. © BERNAT 1956

BERNAT
Handicrafter

BOOK NO. 58 — 50¢